

[illegible]

```
CCCCCCCCC 000000 PPPPPPPP YY YY MM MM AAAAAA IIIIII NN NN
CCCCCCCCC 000000 PPPPPPPP YY YY MM MM AAAAAA IIIIII NN NN
CC          00      00 PP      PP YY YY MM MM AA AA II
CC          00      00 PP      PP YY YY MM MM AA AA II
CC          00      00 PP      PP YY YY MM MM AA AA II
CC          00      00 PPPPPPPP YY YY MM MM AA AA II
CC          00      00 PPPPPPPP YY YY MM MM AA AA II
CC          00      00 PP      PP YY YY MM MM AA AA II
CC          00      00 PP      PP YY YY MM MM AA AA II
CC          00      00 PP      PP YY YY MM MM AA AA II
CCCCCCCCC 000000 PPP PP      YY YY MM MM AA AA IIIIII
CCCCCCCCC 000000 PP      YY YY MM MM AA AA IIIIII

LL          IIIIII SSSSSSSS
LL          IIIIII SSSSSSSS
LL          II
LL          II
LL          II
LL          II
LL          II
LL          II
LL          II
LL          II
LL          II
LL          II
LLLLLLLLLLL IIIIII SSSSSSSS
LLLLLLLLLLL IIIIII SSSSSSSS

SS
SS
SS
SS
SSSSSS
SSSSSS
SS
SS
SS
SS
```



```
1 0001 0 MODULE COPYMAIN (IDENT = 'V04-000',
2 0002      MAIN = COPY$COPY
3 0003      ) =
4 0004 1 BEGIN
5 0005 1
6 0006 1 *****
7 0007 1 *
8 0008 1 *   COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
9 0009 1 *   DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
10 0010 1 *   ALL RIGHTS RESERVED.
11 0011 1 *
12 0012 1 *   THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
13 0013 1 *   ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
14 0014 1 *   INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
15 0015 1 *   COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
16 0016 1 *   OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
17 0017 1 *   TRANSFERRED.
18 0018 1 *
19 0019 1 *   THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
20 0020 1 *   AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
21 0021 1 *   CORPORATION.
22 0022 1 *
23 0023 1 *   DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
24 0024 1 *   SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
25 0025 1 *
26 0026 1 *
27 0027 1 *****
28 0028 1
29 0029 1
30 0030 1 ++
31 0031 1 FACILITY: COPY
32 0032 1
33 0033 1 ABSTRACT:
34 0034 1
35 0035 1     This utility program creates a copy of one or more user-specified
36 0036 1     files. Two or more files may optionally be concatenated to
37 0037 1     create a single output file.
38 0038 1
39 0039 1 ENVIRONMENT:
40 0040 1
41 0041 1 AUTHOR: Ward Clark, CREATION DATE: 19 August 1977
42 0042 1
43 0043 1 Modified by:
44 0044 1
45 0045 1     V03-014 TSK0015      Tamar Krichevsky      26-Jul-1984
46 0046 1     Use the constant 32 for the multi-block count, instead of
47 0047 1     the system multi-block count.
48 0048 1
49 0049 1     V03-013 TSK0014      Tamar Krichevsky      9-jun-1984
50 0050 1     Avoid an access violation by have BYPASS_CONCAT return a value.
51 0051 1     If this value is true, then stop processing. If it is false,
52 0052 1     then continue copying files.
53 0053 1
54 0054 1     V03-012 TSK0013      Tamar Krichevsky      8-May-1984
55 0055 1     Rearrange the calls to CL$GET_VALUE and LIB$FIND_FILE so that
56 0056 1     a command such as COPY a.a,a.a,a.a,a.a NL: will copy every file,
57 0057 1     instead of every other file.
```

58 0058 1
59 0059 1
60 0060 1
61 0061 1
62 0062 1
63 0063 1
64 0064 1
65 0065 1
66 0066 1
67 0067 1
68 0068 1
69 0069 1
70 0070 1
71 0071 1
72 0072 1
73 0073 1
74 0074 1
75 0075 1
76 0076 1
77 0077 1
78 0078 1
79 0079 1
80 0080 1
81 0081 1
82 0082 1
83 0083 1
84 0084 1
85 0085 1
86 0086 1
87 0087 1
88 0088 1
89 0089 1
90 0090 1
91 0091 1
92 0092 1
93 0093 1
94 0094 1
95 0095 1
96 0096 1
97 0097 1
98 0098 1
99 0099 1
100 0100 1
101 0101 1
102 0102 1
103 0103 1
104 0104 1
105 0105 1
106 0106 1
107 0107 1
108 0108 1
109 0109 1
110 0110 1
111 0111 1
112 0112 1
113 0113 1
114 0114 1

V03-011 TSK0012 Tamar Krichevsky 25-Apr-1984
Add a check, after trying to open the output file, to be
sure that if the current operation is an APPEND and the output
file was not found, then processing should stop. No use
appending to a non-existent file.

V03-010 TSK0011 Tamar Krichevsky 17-Mar-1984
Add a missing ".", so that the correct files are opened when
the input file has a wildcard in its specification. Copy the
resultant file name from LIB\$FIND_FILE into the input
file's NAM block and IN_NAME_DESC. Otherwise, the confirm
prompt, log messages and error reporting would use the wrong
information.

V03-009 TSK0010 Tamar Krichevsky 27-Feb-1984
Replace COPY's scheme for allocating I/O buffer pool (The I/O
buffer pool is area in which COPY maintains its user buffers
for RMS calls.) The old scheme allocated virtual memory for
the I/O buffer pool based on the processes working set size.
The new scheme allocates enough virtual memory to hold the
largest record or block transfer instead.

Convert input file parse and searching to LIB\$FIND_FILE.

V03-008 TSK0009 Tamar Krichevsky 15-Feb-1984
Fix RMS_SETUP so that the incompatible attributes message is
not issued when the input or the output device is network.

V03-007 TSK0008 Tamar Krichevsky 3-Oct-1983
Fix RMS_SETUP so that the incompatible attributes message is
not issued when the input device is a unit record device.
The input and output devices have to be the same kind of devices
and be file structured before the information in the file header
can be compared.

V03-006 TSK0007 Tamar Krichevsky 6-Sep-1983
Fix an Access violation introduced in V30-005. This time
wild card copy operations didn't work.

V03-005 TSK0006 Tamar Krichevsky 1-Sep-1983
Fix access violation introduced in V30-004. Append operations
didn't work.

V03-004 TSK0005 Tamar Krichevsky 29-Aug-1983
Modify how the output file's XAB chain is reinitialized at the
end of COPY\$COPY. This change has been made so that COPY
adheres to the new philosophy about the propagation of
file protection and revision dates.

V03-003 TSK0004 Tamar Krichevsky 23-Jan-1983
Replace the command language interface with the the new CLI.

Add COPY\$CHECK_FILE_FOR_MATCH routine which calls LIB\$QUAL_FILE_MATCH
to see if the input file should be copied to the output file.

V03-003 TSK0003 Tamar Krichevsky 29-Mar-1982

115	0115	1	Allow /NOTRUNCATE to work for non-contiguous sequential files by correcting the IF statement in COPY\$CALC_ALQ which decides if the output file will be truncated or the same size as the input file. Previously, non-contiguous sequential files were always being truncated, even if /NOTRUNCATE was specified. Now, if /NOTRUNCATE is given, the allocation of the input file is used for the output file.	
116	0116	1		
117	0117	1		
118	0118	1		
119	0119	1		
120	0120	1		
121	0121	1		
122	0122	1		
123	0123	1		
124	0124	1		
125	0125	1	V03-002 TSK0002 Tamar Krichevsky 22-Mar-1982	
126	0126	1	Correct logic in IF statement which forces record mode I/O in RMS SETUP. Record mode copies to a foreign disk were being attempted instead of block mode.	
127	0127	1	V03-001 TSK0001 Tamar Krichevsky 16-Mar-1982	
128	0128	1		Force record mode operations if input and output devices are both magtape and one is ANSI while the other is mounted foreign.
129	0129	1		
130	0130	1		
131	0131	1	V021 WMC032 Wayne Cardoza 22-Dec-1981	
132	0132	1		Don't allow copy of a directory as a file.
133	0133	1		Let the [] be displayed in mag tape log messages.
134	0134	1		
135	0135	1	V020 WMC026 Wayne Cardoza 10-Dec-1981	
136	0136	1		Fix incorrect ordering of PARSE.
137	0137	1		Fix log messages for network devices.
138	0138	1	V019 WMC003 Wayne Cardoza 17-Nov-1981	
139	0139	1		Quit when operator aborts a mount request.
140	0140	1		
141	0141	1	V018 WMC002 Wayne Cardoza 02-Nov-1981	
142	0142	1		Don't try to create directories on record devices.
143	0143	1		Make sure directory created in correct directory.
144	0144	1		Don't print directory name for non-directory devices.
145	0145	1	V017 TMH0017 Tim Halvorsen 06-Sep-1981	
146	0146	1		Do not issue 'N files created' if the number of files created is only one.
147	0147	1		
148	0148	1		
149	0149	1	X0016 KRM0007 Karl Malik 11-Feb-1981	
150	0150	1		Modified COPY\$COPY to not attempt to create a directory when the output is a network device. Instead, issue a MSG\$_NOTCREDIR (new) warning message and continue.
151	0151	1		
152	0152	1		
153	0153	1	X0015 KRM0005 Karl Malik 14-Jan-1981	
154	0154	1		Init the block_count and record_count in CREATE DIR so as not to use the previous value. Also, modified REPORT_NAMES to issue a "created" message when a subdirectory is created (rather than a "copied" message).
155	0155	1		
156	0156	1		
157	0157	1	X0014 LMK0001 Len Kawell 27-Mar-1980	
158	0158	1		Correct computation of USZ and MBC for record mode.
159	0159	1		
160	0160	1	X0013 TMH0012 Tim Halvorsen 31-Jan-1980	
161	0161	1		Do not use LRL as the USZ for record mode I/O as the LRL can sometimes be incorrect when appending files together with differing LRL's. COPY should be fixed sometime in
162	0162	1		
163	0163	1		
164	0164	1		
165	0165	1		
166	0166	1		
167	0167	1		
168	0168	1		
169	0169	1		
170	0170	1		
171	0171	1		

172	0172	1	:					the future to make the LRL on a concatenated file correct.
173	0173	1	:					
174	0174	1	:	X0012	JAK0012	J. Krycka	07-Dec-1979	
175	0175	1	:					Set ASY bit in ROP after \$CONNECT when doing block I/O to
176	0176	1	:					avoid having to issue a \$WAIT after the connect. This is
177	0177	1	:					necessary for network block I/O because a network \$CONNECT
178	0178	1	:					actually causes DAP messages to be exchanged and thus does not
179	0179	1	:					complete immediately.
180	0180	1	:					
181	0181	1	:	X00011	TMH0011	T. Halvorsen	19-Dec-1979	
182	0182	1	:					Do not create a directory on the output side for magtapes.
183	0183	1	:					
184	0184	1	:	X00010	TMH0010	T. Halvorsen	17-Nov-1979	
185	0185	1	:					Add GLOBAL ROUTINE msg_number from its own module to
186	0186	1	:					this module to avoid conflict with require file of the
187	0187	1	:					same name in the update procedure.
188	0188	1	:					It had one modification:
189	0189	1	:					
190	0190	1	:					Do not add in COPY/APPEND facility unless high-order
191	0191	1	:					word is non-zero.
192	0192	1	:					
193	0193	1	:	X00009	TMH0009	T. Halvorsen	24-Oct-1979	
194	0194	1	:					If input file is a directory file, then either create
195	0195	1	:					a directory on the output side or do nothing depending
196	0196	1	:					on whether the directory already exists or not.
197	0197	1	:					
198	0198	1	:	X00008		T. Halvorsen	16-Aug-1979	
199	0199	1	:					Move fixed overhead to here from COPY.REQ and increase
200	0200	1	:					it by another 10 to avoid copy from magtape wsl problems
201	0201	1	:					
202	0202	1	:	X00007		T. Halvorsen	30-Jul-1979	
203	0203	1	:					Make RMS_SETUP fill the UBF/USZ fields for all device types
204	0204	1	:					due to a change in RMS which causes move mode to always be
205	0205	1	:					used (locate mode had some timing windows).
206	0206	1	:					
207	0207	1	:	X00006		T. Halvorsen	21-Jul-1979	
208	0208	1	:					Remove 60 second timeout from input RAB
209	0209	1	:					
210	0210	1	:	X00005		T. Halvorsen	14-Jul-1979	
211	0211	1	:					Detect insufficient working set size to avoid "internal logic
212	0212	1	:					error" message when allocating negative amount of storage.
213	0213	1	:					
214	0214	1	:	X00004	JAK0004	J. Krycka	16-Mar-1978 15:00	
215	0215	1	:					To support file append over the network, omit 'incompatible
216	0216	1	:					attributes' check if NET bit is set.
217	0217	1	:					
218	0218	1	:	X00003	JAK0003	J. Krycka	16-Mar-1978 14:30	
219	0219	1	:					To support copy of files in VFC format over the network,
220	0220	1	:					put RHB address in both input and output RABs if NET bit is set.
221	0221	1	:					
222	0222	1	:					
223	0223	1	:	01	18-04-78	C. Peters		Change INCLUDE file declarations to suit VMS native compiles.
224	0224	1	:					Remove SHR\$ HASHCONCAT, SHR\$ INCOMPAT literals.
225	0225	1	:	02	18-04-78	C. Peters		Change COPY to reflect modified behavior.
226	0226	1	:					Include COPY.REQ. Delete LITERAL definitions for general use, status flags. Delete
227	0227	1	:					macro definitions for commonly used status flags.
228	0228	1	:					Rename COPY_STATUS to COPY\$CLI_STATUS.

:	229	0229	1	!	Don't include RMSMAC.L32, STARDE.L32. Include STARLET.L32 from SYSS\$LIBRARY.
:	230	0230	1	:	Delete external literal declarations of RMS status codes. They are in STARLET.L32 too.
:	231	0231	1	:	Delete GLOBAL variable COPY\$CLI_STATUS. Put it in a new module, COPYGBL.B32.
:	232	0232	1	:	Instead of calling GET_OUTFILE, call COPY\$GET_OUTFIL, in COPYSPECS.
:	233	0233	1	:	Delete GET_OUTFILE.
:	234	0234	1	:	Instead of calling GET_INFILE, call COPY\$GET_INFILE, in COPYSPECS.B32.
:	235	0235	1	:	Delete GET_INFILE from this module.
:	236	0236	1	:	Instead of calling OPEN_INFILE, call COPY\$OPN_INFILE, in COPYSPECS.
:	237	0237	1	:	Delete OPEN_INFILE.
:	238	0238	1	:	Rename IN_OPEN_ERROR to COPY\$INOPN_ERR; OUT_OPEN_ERROR to COPY\$OUTOPN_ERR;
:	239	0239	1	:	CLOSE_OUTFILE to COPY\$CLOSE_OUTF.
:	240	0240	1	:	Instead of calling OPEN_OUTFILE, call COPY\$OPN_OUTFIL, in COPYSPECS.
:	241	0241	1	:	Rename OUT_CLOSE_ERROR to COPY\$OCLOSE_ERR.
:	242	0242	1	:	Remove declaration for ST\$K_INFO. Put this in COPY.REQ.
:	243	0243	1	:	Remove declaration for VMSMAC.L32, put it in COPY.REQ.
:	244	0244	1	:	Delete routine OPEN_OUTFILE. This routine is replaced by COPY\$OPN_OUTFIL, in COPYSPECS.
:	245	0245	1	:	Rename CALCULATE_ALQ to COPY\$CALC_ALQ and make it a global routine.
:	246	0246	1	:	Rename MESSAGE_NUMBER to COPY\$MESSG_NUMBER and make it a global routine.
:	247	0247	1	:	Rename CLI_RESULT to COPY\$CLI_RESULT. Declare it a global in COPYGBL.
:	248	0248	1	:	In main routine, close output file if flag MULTIPLE_OUTPUT is set, instead of testing
:	249	0249	1	:	for the CONCAT_FOLLOWS flag being not set.
:	250	0250	1	:	Move setting of CONCAT_QUAL and NOCONCAT_QUAL into the routine GET_CMD_QUAL.
:	251	0251	1	:	Move OUTFILE_OPEN and APPEND_COMMAND bits into COPY\$SEM_STATUS from COPY\$CLI_STATUS.
:	252	0252	1	:	Remove RMS declarations for input file descriptions to file called FILINPUT.B32.
:	253	0253	1	:	Remove RMS declarations for output file descriptions to file called FILOUTPUT.B32.
:	254	0254	1	:	Rename PARSE_INFILE to COPY\$PARS_INFIL.
:	255	0255	1	:	Move PUT_MESSAGE and PUT_MESSAGEX macro definitions to include file COPYMSG.REQ.
:	256	0256	1	:	Move routine COPY\$MESSG_NUMBER to new module, COPYMSG.B32.
:	257	0257	1	:	In CALC_ALQ, if /TRUNCATE was specified without /ALLOCATION, calculate allocation
:	258	0258	1	:	value based on actual EOF of input file.
:	259	0259	1	:	Add a global variable COPY\$B_INCOMPAT. If this variable is set, don't output
:	260	0260	1	:	incompatible attributes message because it has already been output once
:	261	0261	1	:	for this output file.
:	262	0262	1	:	In RMS_SETUP, when setting the MBC and MBF fields for a record mode copy,
:	263	0263	1	:	set the MBC field to the size of the input file only the size is less than or
:	264	0264	1	:	equal to 127 blocks. Otherwise, MBC goes negative.
:	265	0265	1	:	In RMS_SETUP, a record mode copy from disk or tape loads RAB\$W_USZ from XAB\$W_LRL if
:	266	0266	1	:	non-zero; otherwise, FAB\$W_BLS.
:	267	0267	1	:	
:	268	0268	1	--	


```
312 0310 1 !
313 0311 1 ! TABLE OF CONTENTS:
314 0312 1 !
315 0313 1 !
316 0314 1 FORWARD ROUTINE
317 0315 1 COPY$COPY, ! Main COPY control routine
318 0316 1 COPY$CHECK_FILE_FOR_MATCH, ! Sees if input file matches command line criteria
319 0317 1 CREATE_DIR, ! Create directory file
320 0318 1 RMS_SETUP, ! RAB/buffer initialization
321 0319 1 COPY_FILE, ! Copies an input file to the output file
322 0320 1 CLOSE_INFILE : NOVALUE, ! Closes the current input file
323 0321 1 COPY$CLOSE_OUTF : NOVALUE, ! Closes the current output file
324 0322 1 BYPASS_CONCAT, ! Bypass concatenated input files after an error
325 0323 1 COPY$FIND_INPUT_FILE, ! Parse an input file-specification
326 0324 1 COPY$CALC_ALQ, ! Calculate the output file allocation quantity
327 0325 1 REPORT_NAMES : NOVALUE, ! Report names of input and output files
328 0326 1 REPORT_BYPASS : NOVALUE, ! Report name of file bypassed
329 0327 1 COPY$LOG_MSG : NOVALUE, ! Informational message routine
330 0328 1 COPY$INOPN_ERR : NOVALUE, ! Input open error routine
331 0329 1 IN_READ_ERROR : NOVALUE, ! Input read error routine
332 0330 1 IN_CLOSE_ERROR : NOVALUE, ! Input close error routine
333 0331 1 COPY$OUTOPN_ERR : NOVALUE, ! Output open error routine
334 0332 1 OUT_WRITE_ERROR : NOVALUE, ! Output write error routine
335 0333 1 COPY$OCLOSE_ERR : NOVALUE, ! Output close error routine
336 0334 1 COPY$MSG_NUMBER, ! Compute message number
337 0335 1
338 0336 1 !
339 0337 1 ! INCLUDE FILES:
340 0338 1 !
341 0339 1
342 0340 1 LIBRARY 'SYSS$LIBRARY:STARLET.L32'; ! VAX/VMS common definitions
343 0341 1 REQUIRE 'SRC$:COPYMSG.REQ'; ! Definition of macros to SIGNAL a message
344 0422 1
345 0423 1 !
346 0424 1 ! MACROS:
347 0425 1 !
348 0426 1 !
349 0427 1 MACRO
350 M 0428 1 IN_NEQ_OUT[] = ! Compare input and output FHC XAB field
351 0429 1 .INFILE_XABFHC[%REMAINING] NEQ .OUTFILE_XABFHC[%REMAINING] %,
352 0430 1
353 0431 1 NAM$B_DVILNG = $DEFINE_BYTE[NAM$T_DVI] %,
354 0432 1
355 0433 1 $DEFINE_BYTE( D, B, S, X ) = D, B, 8, 0 %,
356 0434 1
357 0435 1 !
358 0436 1 ! Check to see if the global or local qualifier flag is set without the
359 0437 1 ! local negation flag being set.
360 0438 1 !
361 M 0439 1 qualifier_active( global_qual, local_qual, locally_negated ) =
362 MM 0440 1 (IF (.global_qual AND NOT .locally_negated) OR .local_qual
363 M 0441 1 THEN true
364 0442 1 ELSE false )%
365 0443 1 ;
366 0444 1
367 0445 1 !
368 0446 1 !
```

```

369      0447 1  ! EQUATED SYMBOLS:
370      0448 1  !
371      0449 1  !
372      0450 1  LITERAL
373      0451 1      CLI_STATUS_LEN = 28,      ! Length of COPY$CLI_STATUS block
374      0452 1      SEM_STATUS_LEN = 4,      ! Length of COPY$SEM_STATUS block
375      0453 1      ;
376      0454 1  !      RMESK_OVERLAY = 0;      !#1 ***** KLUDGE *****
377      0455 1  !
378      0456 1  !
379      0457 1  ! Global variables
380      0458 1  !
381      0459 1  !
382      0460 1  GLOBAL
383      0461 1      OUTFILE_COUNT : INITIAL (0),      ! Number of output files created
384      0462 1      BLOCK_COUNT,      ! Number of input blocks copied (current file)
385      0463 1      RECORD_COUNT,      ! Number of input records copied (current file)
386      0464 1      MOST_SEVERE_ERR : BLOCK[4,BYTE]      ! Most severe error encountered
387      0465 1      INITIAL( SS$_NORMAL ),      !
388      0466 1
389      0467 1      IO_BUFFER_BASE : INITIAL(0),      ! Address of I/O buffer pool
390      0468 1
391      0469 1      RMS_MBC : INITIAL(32),      ! Size of the RMS buffers
392      0470 1
393      0471 1      BLOCK_SIZE,      ! Input file block size
394      0472 1
395      0473 1      COPY$CLI_STATUS : $BBLOCK[ CLI_STATUS_LEN ]      ! Results of the command line parse
396      0474 1      INITIAL(0),
397      0475 1      COPY$SEM_STATUS : $BBLOCK[ SEM_STATUS_LEN ]      ! Status of the input and output files
398      0476 1      INITIAL(0),
399      0477 1      COPY$B_INCOMPAT : BYTE INITIAL(0)      ! Flag which is set if files have incompatible attr
400      0478 1
401      0479 1      ;
402      0480 1
403      0481 1
404      0482 1
405      0483 1  !
406      0484 1  ! YET ANOTHER REQUIRE FILE
407      0485 1  !
408      0486 1  REQUIRE
409      0487 1      'SRC$:COPY.REQ';      ! Field definitions for COPY$CLI_STATUS and COPY$SEM

```


COPYMAIN
V04-000

H 7
15-Sep-1984 23:39:26
15-Sep-1984 22:42:03

VAX-11 Bliss-32 V4.0-742
_S255SDUA28:[COPY.SRC]VMSMAC.REQ;1

Page 9
(1)

; XPRINT:

File: VMSMAC.B32, Version V04-000, Edit 1, WWC, 09-JAN-1978

```

: 411      0942 1  !
: 412      0943 1  ! EXTERNAL REFERENCES:
: 413      0944 1  !
: 414      0945 1  ! EXTERNAL
: 415      0946 1  !
: 416      0947 1  !
: 417      0948 1  ! Command line qualifier values
: 418      0949 1  !
: 419      0950 1  ! common_qual_context,
: 420      0951 1  ! curr_allocation_value,
: 421      0952 1  ! curr_protection_or,
: 422      0953 1  ! curr_protection_and,
: 423      0954 1  !
: 424      0955 1  !
: 425      0956 1  ! RMS definitions
: 426      0957 1  !
: 427      0958 1  ! infile_fab : BLOCK [, BYTE],
: 428      0959 1  ! infile_rab : BLOCK [, BYTE],
: 429      0960 1  ! infile_name : VECTOR [, BYTE],
: 430      0961 1  ! infile_xname : VECTOR [, BYTE],
: 431      0962 1  ! infile_nam_blk : BLOCK [, BYTE],
: 432      0963 1  ! infile_xabfhc : BLOCK [, BYTE],
: 433      0964 1  ! infile_xaball : BLOCK [, BYTE],
: 434      0965 1  ! infile_cli_desc : $BBLOCK,
: 435      0966 1  ! in_name_desc : VECTOR,
: 436      0967 1  ! outfile_fab : BLOCK [, BYTE],
: 437      0968 1  ! outfile_rab : BLOCK [, BYTE],
: 438      0969 1  ! outfile_name : VECTOR [, BYTE],
: 439      0970 1  ! outfile_xname : VECTOR [, BYTE],
: 440      0971 1  ! outfile_nam_blk : BLOCK [, BYTE],
: 441      0972 1  ! outfile_xabrdt : BLOCK [, BYTE],
: 442      0973 1  ! outfile_xabpro : BLOCK [, BYTE],
: 443      0974 1  ! outfile_xabdat : BLOCK [, BYTE],
: 444      0975 1  ! outfile_xaball : BLOCK [, BYTE],
: 445      0976 1  ! outfile_xabfhc : BLOCK [, BYTE],
: 446      0977 1  ! out_name_desc : VECTOR;
: 447      0978 1  !
: 448      0979 1  ! EXTERNAL LITERAL
: 449      0980 1  ! LIB$FILFAIMAT,
: 450      0981 1  ! LIB$QUIPRO
: 451      0982 1  !
: 452      0983 1  !
: 453      0984 1  ! EXTERNAL ROUTINE
: 454      0985 1  ! COPY$GET_INFILE,
: 455      0986 1  ! COPY$GET_OUTFIL,
: 456      0987 1  ! COPY$OPN_INFILE,
: 457      0988 1  ! COPY$OPN_OUTFIL,
: 458      0989 1  ! CLIS$GET_VALUE : ADDRESSING_MODE(GENERAL),
: 459      0990 1  ! LIB$FIND_FILE : ADDRESSING_MODE(GENERAL),
: 460      0991 1  ! LIB$GET_VM : ADDRESSING_MODE(GENERAL),
: 461      0992 1  ! LIB$QUAL_FILE_MATCH : ADDRESSING_MODE(GENERAL),
: 462      0993 1  ! LIB$CHECK_DIR : ADDRESSING_MODE(GENERAL),
: 463      0994 1  ! LIB$CREATE_DIR : ADDRESSING_MODE(GENERAL);

! Common qualifier data area
! The allocation for the output file
! Protection mask for /PROTECTION qualifier
! Protection mask for /PROTECTION qualifier

! Input file FAB block
! Input file RAB block
! Input file name after $OPEN
! Input file name before $OPEN
! Primary input NAM block
! File header characteristics XAB block
! File allocation XAB block
! Input file name on command line
! Input file name descriptor
! Output file FAB block
! Output file RAB block
! Output file name after $OPEN
! Output file name before $OPEN
! Output file NAM block
! Output file revision date/time XAB block
! Output file protection XAB block
! Output file date XAB block
! Output file allocation XAB block
! Output file file header characteristics XAB block
! Output file name descriptor

! File failed to match command line criteria
! User requested that processing cease

! Gets the name of the input file
! Gets the name of the output file
! Opens the input file
! Opens an output file
! Get a value from the command line
! Find a file which fits the given filespec
! Virtual memory allocation
! Match a given file to the command line criteria
! Determine if file is a directory
! Create a directory file
```



```

465 0995 1 ROUTINE COPY$COPY = ! Primary COPY control routine
466 0996 1
467 0997 1 ++
468 0998 1 FUNCTIONAL DESCRIPTION:
469 0999 1
470 1000 1 This routine is the primary control routine for the COPY utility.
471 1001 1 It determines the basic logical flow and calls support routines
472 1002 1 which perform each logical function.
473 1003 1
474 1004 1 FORMAL PARAMETERS:
475 1005 1
476 1006 1 AP.rlu.va - Argument list passed from the Command Language Interpreter
477 1007 1
478 1008 1 IMPLICIT INPUTS:
479 1009 1
480 1010 1 None
481 1011 1
482 1012 1 IMPLICIT OUTPUTS:
483 1013 1
484 1014 1 None
485 1015 1
486 1016 1 COMPLETION CODES:
487 1017 1
488 1018 1 Most severe error encountered during processing or $$$_NORMAL
489 1019 1
490 1020 1 SIDE EFFECTS:
491 1021 1
492 1022 1 None
493 1023 1
494 1024 1 --
495 1025 1
496 1026 2 BEGIN
497 1027 2
498 1028 2 BUILTIN
499 1029 2 AP; ! Declare the name of the argument pointer.
500 1030 2
501 1031 2 BIND
502 1032 2 ARGUMENT_LIST = AP : REF BLOCK[,BYTE]; ! Declare the form of the argument list.
503 1033 2
504 1034 2 LOCAL
505 1035 2 ptr, ! Temporary variables for character searching
506 1036 2 address,
507 1037 2 size,
508 1038 2 STATUS; ! General routine return code
509 1039 2
510 1040 2
511 1041 2
512 1042 2
513 1043 2
514 1044 2
515 1045 2 Get the output file-specification and all qualifiers from the CLI.
516 1046 2
517 1047 2
518 1048 2 IF NOT COPY$GET_OUTFIL ( ! Get the output file spec from the CLI.
519 1049 2 OUTFILE_FAB, ! Specify the output FAB block address,
520 1050 2 OUTFILE_NAM_BLK, ! the output NAM block address,
521 1051 2 OUTFILE_XABFHC) ! and the output XABFHC block address.
```

```
522 1052 2 THEN
523 1053 2 RETURN .MOST_SEVERE_ERR; ! On error, return to CLI.
524 1054 2
525 1055 2
526 1056 2 The remainder of this routine is executed for each input
527 1057 2 file-specification supplied by the user. Get the first input file.
528 1058 2
529 1059 2
530 1060 2 IF NOT (status = CLISGET_VALUE( $DESCRIPTOR('INFILE'), infile_cli_desc))
531 1061 2 THEN
532 1062 2 RETURN .status;
533 1063 2
534 1064 2 WHILE 1 DO ! Beginning of repeat loop
535 1065 2 BEGIN
536 1066 2
537 1067 2
538 1068 2 Get the next input file-specification from the CLI. This routine call is a
539 1069 2 NOP if a wildcard file-specification is currently being processed;
540 1070 2 that is, a wildcard specification is repeatedly used until no further
541 1071 2 match is found.
542 1072 2
543 1073 2
544 1074 2 STATUS = COPY$GET_INFILE ( ! Get an input file-specification.
545 1075 2 INFILE_FAB, ! Specify the address of the input FAB block,
546 1076 2 INFILE_NAM_BLK, ! the address of the input NAM block,
547 1077 2 INFILE_XABALL); ! and the address of the input XABALL block.
548 1078 2
549 1079 2 IF .STATUS EQL NO_MORE_FILES ! If there are no more input file-specs,
550 1080 2 THEN ! exit the input file-spec processing loop.
551 1081 2 EXITLOOP;
552 1082 2
553 1083 2 IF .STATUS EQL OK ! If everything is OK so far,
554 1084 2 THEN ! begin normal input file processing.
555 1085 2 BEGIN
556 1086 2
557 1087 2
558 1088 2 Open the current input file.
559 1089 2
560 1090 2
561 1091 2 STATUS = COPY$OPN_INFILE (INFILE_FAB); ! Open the current input file.
562 1092 2
563 1093 2
564 1094 2 If the input file is a directory file, then create the directory file
565 1095 2 on the output side if the file does not already exist. If the output
566 1096 2 directory already exists, then do nothing.
567 1097 2
568 1098 2
569 1099 2 IF .status EQL ok ! If input opened ok,
570 1100 2 AND lib$check_dir (infile fab) ! and file is a directory,
571 1101 2 AND NOT .outfile_fab [$FAB_DEV(sdi)] ! and not magtape output,
572 1102 2 THEN
573 1103 2 IF NOT .outfile_fab[$FAB_DEV(net)]
574 1104 2 AND NOT .outfile_fab[$FAB_DEV(rec)] ! and not record device,
575 1105 2 THEN
576 1106 2 BEGIN
577 1107 2 IF (.outfile_nam_blk[nam$var_exp_name] AND
578 1108 2 (NOT .outfile_nam_blk[nam$var_wild_name])) OR
```



```
579      1109 6      (.outfile_nam blk[nam$y_exp_type] AND
580      1110 5      (NOT .outfile_nam blk[nam$y_wild_type])) OR
581      1111 6      (.outfile_nam blk[nam$y_exp_ver] AND
582      1112 6      (NOT .outfile_nam blk[nam$y_wild_ver]))
583      1113 5      THEN
584      1114 6      BEGIN
585      1115 6      report_bypass(msg$_illdircopy);
586      1116 6      close_infile();          ! Close input file
587      1117 6      END
588      1118 5      ELSE
589      1119 6      BEGIN
590      1120 6      status = create_dir (infile_fab, outfile_fab);
591      1121 6      IF .status EQL $$$_created -! If file actually created,
592      1122 6      THEN
593      1123 7      BEGIN
594      1124 7      report_names();          ! Report file copied
595      1125 7      outfile_count = .outfile_count + 1;
596      1126 6      END;
597      1127 6      IF NOT .status          ! If successful,
598      1128 6      THEN
599      1129 6      report_bypass(msg$_notcopied); ! Else report failure
600      1130 6      close_infile();          ! Close input file
601      1131 6      END
602      1132 5      END
603      1133 4      ELSE
604      1134 5      BEGIN
605      1135 5      report_bypass(msg$_dirnotcre); ! Else report failure
606      1136 5      close_infile();          ! Close input file
607      1137 5      END
608      1138 4      ELSE
609      1139 5      BEGIN
610      1140 5      Create (or simply open) the output file (if it is not already open due to
611      1141 5      input file concatenation) and then copy the entire input file to the
612      1142 5      output file.
613      1143 5      IF .STATUS EQL OK
614      1144 5      THEN
615      1145 5      BEGIN
616      1146 5      IF (STATUS = COPY$OPN_OUTFIL (
617      1147 5      OUTFILE_FAB,
618      1148 5      OUTFILE_RAB,
619      1149 5      INFILE_FAB,
620      1150 6      OUTFILE_COUNT))
621      1151 7      ! already open due to input concatenation.
622      1152 7      THEN
623      1153 7      BEGIN
624      1154 7      IF (STATUS = RMS_SETUP())          ! Setup the input and output RABs and buffers.
625      1155 7      THEN
626      1156 7      BEGIN
627      1157 6      IF (STATUS = COPY_FILE())          ! Copy the entire input file to the output file.
628      1158 7      THEN
629      1159 8      BEGIN
630      1160 7      IF .outfile_fab [$FAB_DEV(rec)]
631      1161 8
632      1162 9
633      1163 8
634      1164 9
635      1165 9
```

```

        AND NOT .outfile_fab [$FAB_DEV(net)]
    THEN
        BEGIN
            size = .out_name_desc[0];
            address = .out_name_desc[1];
            ptr = CH$FIND_CH(.size,.address,':');
            IF .ptr NEQ 0 ! If there is anything past the device, remove it
            THEN
                out_name_desc[0] = .ptr - .address + 1;
            END;
            REPORT_NAMES() ! Report the results if the copy was successful.
        END
    ELSE ! Otherwise, report a partial copy.
        REPORT_BYPASS( MSG$_NOTCMPLT );
    END
ELSE
    REPORT_BYPASS( MSG$_NOTCOPIED );
END
ELSE ! If the output file couldn't be opened,
    BEGIN
        ! If this is an APPEND operation, then stop processing.
        ! There is no need to continue appending to a non-existent
        ! file.
        IF .append_command
        THEN EXITLOOP;
        SELECTONE .status OF
        SET
            [ LIB$_FILFAIMAT ] : ! Quietly skip this file
            status = ok;
            [ LIB$_QUIPRO ] : ! User wishes to stop at this point
            EXITLOOP;
            [ OTHERWISE ] : ! indicate the input file wasn't copied.
            REPORT_BYPASS( MSG$_NOTCOPIED );
        TES;
        END; ! else stmt
    END;
CLOSE_INFILE(); ! Close the input file.
END; ! End of ELSE clause
END; ! End of processing a single input file specification

! If the user wishes to quit processing, then exit with a successful
! status.
IF .status EQL LIB$_QUIPRO
THEN
    status = ok;
    ! Bypass any concatenated input files if an error occurred during the
    ! file copy.

```



```

693      1223 3      IF NOT .STATUS      ! If the input file was not successfully copied,
694      1224 3      THEN      !
695      1225 3      IF BYPASS_CONCAT()      ! bypass any concatenated input files.
696      1226 3      THEN
697      1227 3      EXITLOOP;
698      1228 3
699      1229 3      !
700      1230 3      ! Close the output file unless another input file is to be
701      1231 3      ! concatenated to the output file just written.
702      1232 3
703      1233 3      IF .MULTIPLE_OUTPUT AND NOT .APPEND_COMMAND      ! If multiple output files are being created,
704      1234 3      THEN      ! and the command was not APPEND,
705      1235 4      BEGIN
706      1236 4      !
707      1237 4      ! Set up protection if user specified explicitly.
708      1238 4      !
709      1239 4      !
710      1240 5      IF qualifier_active( protect_qual, loc_protect_qual, neg_protect_qual )
711      1241 4      THEN
712      1242 5      BEGIN
713      1243 5      outfile_xabpro [xab$w_pro] = .outfile_xabpro[ xab$w_pro] AND
714      1244 5      .curr_protection_and;
715      1245 5      outfile_xabpro [xab$w_pro] = .outfile_xabpro[ xab$w_pro] OR
716      1246 5      .curr_protection_or;
717      1247 5      END
718      1248 4      ELSE
719      1249 4      outfile_xabrdt [xab$l_nxt] = 0;
720      1250 4
721      1251 4      !
722      1252 4      ! Close the current output file.
723      1253 4      !
724      1254 4      !
725      1255 4      COPY$CLOSE_OUTF();      ! close the current output file, if any.
726      1256 4      !
727      1257 4      !
728      1258 4      ! Reinitialize the XAB chain, since it may have been mucked with
729      1259 4      ! by COPY$OPN_OUTFIL among other routines.
730      1260 4      !
731      1261 4      !
732      1262 4      outfile_xaball [xab$l_nxt] = outfile_xabdat;
733      1263 4      outfile_xabdat [xab$l_nxt] = outfile_xabrdt;
734      1264 4      outfile_xabrdt [xab$l_nxt] = outfile_xabpro;
735      1265 3      END;
736      1266 3
737      1267 2      END;      ! End of 'WHILE 1 DO' input file-spec processing loop
738      1268 2
739      1269 2      !
740      1270 2      ! Perform any necessary cleanup before exiting.
741      1271 2      !
742      1272 2      !
743      1273 2      !
744      1274 2      ! Set up protection if user specified explicitly.
745      1275 2      !
746      1276 2      !
747      1277 3      IF qualifier_active( protect_qual, loc_protect_qual, neg_protect_qual )
748      1278 2      THEN
749      1279 3      BEGIN
```



```
.EXTRN CLIS_PRESENT, CLIS_NEGATED
```



```
.EXTRN CLIS_LOCPRES, CLIS_LOCNEG
.EXTRN COMMON_QUAL_CONTEXT
.EXTRN CURR_ALLOCATION_VALUE
.EXTRN CURR_PROTECTION_OR
.EXTRN CURR_PROTECTION_AND
.EXTRN INFILE_FAB, INFILE_RAB
.EXTRN INFILE_NAME, INFILE_XNAME
.EXTRN INFILE_NAM_BLK, INFILE_XABFHC
.EXTRN INFILE_XABALL, INFILE_CLI_DESC
.EXTRN IN_NAME_DESC, OUTFILE_FAB
.EXTRN OUTFILE_RAB, OUTFILE_NAME
.EXTRN OUTFILE_XNAME, OUTFILE_NAM_BLK
.EXTRN OUTFILE_XABRDT, OUTFILE_XABPRO
.EXTRN OUTFILE_XABDAT, OUTFILE_XABALL
.EXTRN OUTFILE_XABFHC, OUT_NAME_DESC
.EXTRN LIB$FICFAMAT, LIB$QUIPRO
.EXTRN COPY$GET_INFILE
.EXTRN COPY$GET_OUTFIL
.EXTRN COPY$OPN_INFILE
.EXTRN COPY$OPN_OUTFIL
.EXTRN CLISGET_VALUE, LIB$FIND_FILE
.EXTRN LIB$GET_VM, LIB$QUAL_FILE_MATCH
.EXTRN LIB$CHECK_DIR, LIB$CREATE_DIR
```

.PSECT \$CODE\$,NOWRT,2

OFFC 00000 COPY\$COPY:

5B	0000G	CF	9E	00002	.WORD	Save R2,R3,R4,R5,R6,R7,R8,R9,R10,R11	: 0995
5A	0000G	CF	9E	00007	MOVAB	OUTFILE_XABPRO+8, R11	:
59	0000G	CF	9E	0000C	MOVAB	INFILE_FAB, R10	:
58	0000G	CF	9E	00011	MOVAB	OUTFILE_NAM_BLK+52, R9	:
57	0000G	CF	9E	00016	MOVAB	OUTFILE_FAB+64, R8	:
	0000G	CF	9E	0001B	MOVAB	COPY\$CLI_STATUS+2, R7	:
	CC	A9	9F	0001F	PUSHAB	OUTFILE_XABFHC	: 1048
	CO	A8	9F	00022	PUSHAB	OUTFILE_NAM_BLK	:
0000G	CF	03	FB	00025	PUSHAB	OUTFILE_FAB	:
		50	E8	0002A	CALLS	#3, COPY\$GET_OUTFIL	:
		01D1	31	0002D	BLBS	R0, 1\$:
	0000G	CF	9F	00030	BRW	38\$:
	0000G	CF	9F	00034	PUSHAB	INFILE_CLI_DESC	: 1060
00000000G	00	02	FB	00038	PUSHAB	P.AAA	:
	52	50	D0	0003F	CALLS	#2, CLISGET_VALUE	:
	04	52	E8	00042	MOVL	R0, STATUS	:
	50	52	D0	00045	BLBS	STATUS, 2\$:
			04	00048	MOVL	STATUS, R0	: 1062
	0000G	CF	9F	00049	RET		:
	0000G	CF	9F	0004D	PUSHAB	INFILE_XABALL	: 1074
		5A	DD	00051	PUSHAB	INFILE_NAM_BLK	:
0000G	CF	03	FB	00053	PUSHL	R10	:
	52	50	D0	00058	CALLS	#3, COPY\$GET_INFILE	:
	03	52	D1	0005B	MOVL	R0, STATUS	:
		03	12	0005E	CMPL	STATUS, #3	: 1079
		016D	31	00060	BNEQ	3\$:
		52	D1	00063	BRW	33\$:
01		03	13	00066	CMPL	STATUS, #1	: 1083
		0108	31	00068	BEQL	4\$:
					BRW	25\$:

	0000G	CF	5A	DD	0006B	4\$:	PUSHL	R10		1091
		52	01	FB	0006D		CALLS	#1, COPY\$OPN_INFILE		
			50	D0	00072		MOVL	R0, STATUS		
		01	53	D4	00075		CLRL	R3		1099
			52	D1	00077		CMPL	STATUS, #1		
			63	12	0007A		BNEQ	12\$		
			53	D6	0007C		INCL	R3		
			5A	DD	0007E		PUSHL	R10		1100
	00000000G	00	01	FB	00080		CALLS	#1, LIB\$CHECK_DIR		
		55	50	E9	00087		BLBC	R0, 12\$		
51		68	04	E0	0008A		BBS	#4, OUTFILE_FAB+64, 12\$		1101
45	01	A8	05	E0	0008E		BBS	#5, OUTFILE_FAB+65, 10\$		1103
		42	68	E8	00093		BLBS	OUTFILE_FAB+64, 10\$		1104
04		69	02	E1	00096		BBC	#2, OUTFILE_NAM_BLK+52, 5\$		1107
0F		69	05	E1	0009A		BBC	#5, OUTFILE_NAM_BLK+52, 7\$		1108
04		69	01	E1	0009E	5\$:	BBC	#1, OUTFILE_NAM_BLK+52, 6\$		1109
07		69	04	E1	000A2		BBC	#4, OUTFILE_NAM_BLK+52, 7\$		1110
		0B	69	E9	000A6	6\$:	BLBC	OUTFILE_NAM_BLK+52, 8\$		1111
07		69	03	E0	000A9		BBS	#3, OUTFILE_NAM_BLK+52, 8\$		1112
		7E	8F	3C	000AD	7\$:	MOVZWL	#4840, -(SP)		1115
			29	11	000B2		BRB	11\$		
			A8	9F	000B4	8\$:	PUSHAB	OUTFILE_FAB		1120
			5A	DD	000B7		PUSHL	R10		
	0000V	CF	02	FB	000B9		CALLS	#2, CREATE_DIR		
		52	50	D0	000BE		MOVL	R0, STATUS		
	00000619	8F	52	D1	000C1		CMPL	STATUS, #1561		1121
			08	12	000C8		BNEQ	9\$		
	0000V	CF	00	FB	000CA		CALLS	#0, REPORT_NAMES		1124
			A7	D6	000CF		INCL	OUTFILE_COUNT		1125
		68	52	E8	000D2	9\$:	BLBS	STATUS, -15\$		1127
			08C	31	000D5		BRW	22\$		1129
		7E	8F	3C	000D8	10\$:	MOVZWL	#4800, -(SP)		1135
			65	11	000DD	11\$:	BRB	17\$		
		77	53	E9	000DF	12\$:	BLBC	R3, 20\$		1148
			A7	9F	000E2		PUSHAB	OUTFILE_COUNT		1151
			5A	DD	000E5		PUSHL	R10		
			CF	9F	000E7		PUSHAB	OUTFILE_RAB		
			A8	9F	000EB		PUSHAB	OUTFILE_FAB		
	0000G	CF	04	FB	000EE		CALLS	#4, COPY\$OPN_OUTFIL		
		52	50	D0	000F3		MOVL	R0, STATUS		
		4D	52	E9	000F6		BLBC	STATUS, 18\$		
	0000V	CF	00	FB	000F9		CALLS	#0, RMS_SETUP		1159
		52	50	D0	000FE		MOVL	R0, STATUS		
		60	52	E9	00101		BLBC	STATUS, 22\$		
	0000V	CF	00	FB	00104		CALLS	#0, COPY_FILE		1162
		52	50	D0	00109		MOVL	R0, STATUS		
		30	52	E9	0010C		BLBC	STATUS, 16\$		
		26	68	E9	0010F		BLBC	OUTFILE_FAB+64, 14\$		1165
21	01	A8	05	E0	00112		BBS	#5, OUTFILE_FAB+65, 14\$		1166
		55	CF	D0	00117		MOVL	OUT_NAME_DESC, SIZE		1169
		54	CF	D0	0011C		MOVL	OUT_NAME_DESC+4, ADDRESS		1170
64		55	3A	3A	00121		LOCC	#58, SIZE, (ADDRESS)		1171
			02	12	00125		BNEQ	13\$		
			51	D4	00127		CLRL	R1		
		56	51	D0	00129	13\$:	MOVL	R1, PTR		1172
			0A	13	0012C		BEQL	14\$		
51		56	54	C3	0012E		SUBL3	ADDRESS, PTR, R1		1174

0000G	CF	01	A1	9E	00132	MOVAB	1(R1), OUT_NAME_DESC	:	
0000V	CF		00	FB	00138	CALLS	#0, REPORT_NAMES	:	1176
			2F	11	0013D	BRB	24\$:	
	7E	11C0	8F	3C	0013F	MOVZWL	#4544, -(SP)	:	1179
			23	11	00144	BRB	23\$:	
	03	FE	A7	E9	00146	BLBC	COPY\$CLI_STATUS, 19\$:	1191
			0083	31	0014A	BRW	33\$:	
00000000G	8F		52	D1	0014D	CMPL	STATUS, #LIB\$_FILFAIMAT	:	1196
			05	12	00154	BNEQ	21\$:	
	52		01	D0	00156	MOVL	#1, STATUS	:	1197
			13	11	00159	BRB	24\$:	
00000000G	8F		52	D1	0015B	CMPL	STATUS, #LIB\$_QUIPRO	:	1198
			6C	13	00162	BEQL	33\$:	
	7E	11B8	8F	3C	00164	MOVZWL	#4536, -(SP)	:	1201
0000V	CF		01	FB	00169	CALLS	#1, REPORT_BYPASS	:	
0000V	CF		00	FB	0016E	CALLS	#0, CLOSE_INFILE	:	1206
00000000G	8F		52	D1	00173	CMPL	STATUS, #LIB\$_QUIPRO	:	1215
			03	12	0017A	BNEQ	26\$:	
	52		01	D0	0017C	MOVL	#1, STATUS	:	1217
	08		52	E8	0017F	BLBS	STATUS, 27\$:	1223
0000V	CF		00	FB	00182	CALLS	#0, BYPASS_CONCAT	:	1225
	46		50	E8	00187	BLBS	R0, 33\$:	
	3F	1B	A7	E9	0018A	BLBC	COPY\$SEM_STATUS+1, 32\$:	1233
	3B	FE	A7	E8	0018E	BLBS	COPY\$CLI_STATUS, 32\$:	
05	01		05	E1	00192	BBC	#5, COPY\$CLI_STATUS+3, 28\$:	1240
		01	A7	95	00197	TSTB	COPY\$CLI_STATUS+3	:	
			05	18	0019A	BGEQ	29\$:	
0F	01		06	E1	0019C	BBC	#6, COPY\$CLI_STATUS+3, 30\$:	
	50	0000G	CF	D2	001A1	MCOML	CURR_PROTECTION_AND, R0	:	1244
	6B		50	AA	001A6	BICW2	R0, OUTFILE_XABPRO+8	:	
	6B	0000G	CF	A8	001A9	BISW2	CURR_PROTECTION_OR, OUTFILE_XABPRO+8	:	1246
			04	11	001AE	BRB	31\$:	1240
		0000G	CF	D4	001B0	CLRL	OUTFILE_XABRDT+4	:	1249
	0000V	CF	00	FB	001B4	CALLS	#0, COPY\$CLOSE_OUTF	:	1255
0000G	CF	0000G	CF	9E	001B9	MOVAB	OUTFILE_XABDAT, OUTFILE_XABALL+4	:	1262
0000G	CF	0000G	CF	9E	001C0	MOVAB	OUTFILE_XABRDT, OUTFILE_XABDAT+4	:	1263
0000G	CF	F8	AB	9E	001C7	MOVAB	OUTFILE_XABPRO, OUTFILE_XABRDT+4	:	1264
			FE79	31	001CD	BRW	2\$:	1064
05	01		05	E1	001D0	BBC	#5, COPY\$CLI_STATUS+3, 34\$:	1277
		01	A7	95	001D5	TSTB	COPY\$CLI_STATUS+3	:	
			05	18	001D8	BGEQ	35\$:	
0F	01		06	E1	001DA	BBC	#6, COPY\$CLI_STATUS+3, 36\$:	
	50	0000G	CF	D2	001DF	MCOML	CURR_PROTECTION_AND, R0	:	1281
	6B		50	AA	001E4	BICW2	R0, OUTFILE_XABPRO+8	:	
	6B	0000G	CF	A8	001E7	BISW2	CURR_PROTECTION_OR, OUTFILE_XABPRO+8	:	1283
			04	11	001EC	BRB	37\$:	1277
		0000G	CF	D4	001EE	CLRL	OUTFILE_XABRDT+4	:	1286
0000V	CF		00	FB	001F2	CALLS	#0, COPY\$CLOSE_OUTF	:	1288
	7E	1091	8F	3C	001F7	MOVZWL	#4241, -(SP)	:	1290
0000V	CF		01	FB	001FC	CALLS	#1, COPY\$LOG_MSG	:	
	50	EE	A7	D0	00201	MOVL	MOST_SEVERE_ERR, R0	:	1296
			04	00205	RET			:	1299

; Routine Size: 518 bytes, Routine Base: \$CODE\$ + 0000

```

: 771      1300 1 GLOBAL ROUTINE COPY$CHECK_FILE_FOR_MATCH =
: 772      1301 1
: 773      1302 1 !++
: 774      1303 1
: 775      1304 1 FUNCTIONAL DESCRIPTION:
: 776      1305 1
: 777      1306 1         This routine sets up the parameters for and calls LIB$QUAL_FILE_MATCH to see if the input
: 778      1307 1         file matches the criteria given on the command line.
: 779      1308 1
: 780      1309 1 FORMAL PARAMETERS:
: 781      1310 1
: 782      1311 1         None
: 783      1312 1
: 784      1313 1 IMPLICIT INPUTS:
: 785      1314 1
: 786      1315 1         IN_NAME_DESC      : Input file name descriptor
: 787      1316 1         OUT_NAME_DESC     : Output file name descriptor
: 788      1317 1         OUTFILE_OPEN      : Output file is currently open
: 789      1318 1         COMMON_QUAL_CONTEXT : Common qualifier data area
: 790      1319 1
: 791      1320 1 IMPLICIT OUTPUTS:
: 792      1321 1
: 793      1322 1         None
: 794      1323 1
: 795      1324 1 ROUTINE VALUE:
: 796      1325 1
: 797      1326 1         Whatever LIB$QUAL_FILE_MATCH returns.
: 798      1327 1
: 799      1328 1 COMPLETION CODES:
: 800      1329 1
: 801      1330 1         None
: 802      1331 1
: 803      1332 1 SIDE EFFECTS:
: 804      1333 1
: 805      1334 1         None
: 806      1335 1
: 807      1336 1 --
: 808      1337 1
: 809      1338 2 BEGIN
: 810      1339 2
: 811      1340 2 LOCAL
: 812      1341 2     out_desc      :      ! Temporary desc. for output file name
: 813      1342 2     prompt_string_desc,      ! Desc. for /CONFIRM prompt string address
: 814      1343 2     prompt_args      :      ! Argument list for /CONFIRM prompt
: 815      1344 2     prompt_args      :      ! Argument list for /CONFIRM prompt
: 816      1345 2     ;
: 817      1346 2
: 818      1347 2
: 819      1348 2
: 820      1349 2
: 821      1350 2 ! Pick to appropriate propmt string, depending on whether the input file is
: 822      1351 2 ! being append to an output file or not.
: 823      1352 2
: 824      1353 2 IF .append_command OR .outfile open
: 825      1354 2 THEN prompt_string_desc = $DESCRIPTOR('Append !AS to !AS? [N]')
: 826      1355 2 ELSE prompt_string_desc = $DESCRIPTOR('Copy !AS to !AS? [N]');
: 827      1356 2
```



```

828      1357 2
829      1358 2 ! File in the file name descriptors.
830      1359 2
831      1360 2 prompt_args[ 0 ] = in_name_desc;
832      1361 2 prompt_args[ 1 ] = out_desc;
833      1362 2
834      1363 2 IF .outfile_nam_blk[ NAM$B_RSL ] NEQ 0
835      1364 2 THEN
836      1365 2 BEGIN
837      1366 2 out_desc[ 0 ] = .outfile_nam_blk[ NAM$B_RSL ];
838      1367 2 out_desc[ 1 ] = outfile_name;
839      1368 2 END
840      1369 2 ELSE
841      1370 2 IF .outfile_nam_blk[ NAM$B_ESL ] NEQ 0
842      1371 2 THEN
843      1372 2 BEGIN
844      1373 2 out_desc[ 0 ] = .outfile_nam_blk[ NAM$B_ESL ];
845      1374 2 out_desc[ 1 ] = outfile_xname;
846      1375 2 END
847      1376 2 ELSE
848      1377 2 prompt_args[ 1 ] = out_name_desc;
849      1378 2
850      1379 2
851      1380 2 ! Compare the current input file to the command line criteria. Return the
852      1381 2 results of the comparison to the calling routine.
853      1382 2
854      1383 2 RETURN LIB$QUAL_FILE_MATCH( common_qual_context, infile_fab, 0,
855      1384 2 .prompt_string_desc, prompt_args, 0);
856      1385 2
857      1386 1 END; ! End of routine COPY$CHECK_FILE_FOR_MATCH
```

```

.PSECT $SPLITS$,NOWRT,NOEXE,2
21 20 6F 74 20 53 41 21 20 64 6E 65 70 70 41 00010 P.AAD: .ASCII \Append !AS to !AS? [N]\
5D 4E 5B 20 3F 53 41 0001F
00026
00000016 00028 P.AAC: .BLKB 2
00000000 0002C .LONG 22
53 41 21 20 6F 74 20 53 41 21 20 79 70 6F 43 00030 P.AAF: .ADDRESS P.AAD
5D 4E 5B 20 3F 0003F .ASCII \Copy !AS to !AS? [N]\
00000014 00044 P.AAE: .LONG 20
00000000 00048 .ADDRESS P.AAF

.PSECT $CODE$,NOWRT,2
0000 00000
5E 10 C2 00002 .ENTRY COPY$CHECK_FILE_FOR_MATCH, Save nothing ; 1300
06 0000' CF E8 00005 SUBL2 #16, SP ; 1353
07 0000' CF 01 E1 0000A BLBS COPY$CLI STATUS, 1$ ; 1354
51 0000' CF 9E 00010 1$: BBC #1, COPY$SEM STATUS+2, 2$ ; 1355
05 11 00015 MOVAB P.AAC, PROMPT_STRING_DESC ; 1360
51 0000' CF 9E 00017 2$: BRB 3$
6E 0000G CF 9E 0001C 3$: MOVAB P.AAE, PROMPT_STRING_DESC
MOVAB IN_NAME_DESC, PROMPT_ARGS
```

04	AE	08	AE	9E	00021	MOVAB	OUT_DESC, PROMPT_ARGS+4	:	1361
	50	0000G	CF	9A	00026	MOVZBL	OUTFILE_NAM_BLK+3, R0	:	1363
			0C	13	0002B	BEQL	4\$:	
03	AE		50	D0	0002D	MOVL	R0, OUT_DESC	:	1366
0C	AE	0000G	CF	9E	00031	MOVAB	OUTFILE_NAME, OUT_DESC+4	:	1367
			19	11	00037	BRB	6\$:	1363
	50	0000G	CF	9A	00039	MOVZBL	OUTFILE_NAM_BLK+11, R0	:	1370
			0C	13	0003E	BEQL	5\$:	
08	AE		50	D0	00040	MOVL	R0, OUT_DESC	:	1373
0C	AE	0000G	CF	9E	00044	MOVAB	OUTFILE_XNAME, OUT_DESC+4	:	1374
			06	11	0004A	BRB	6\$:	1370
04	AE	0000G	CF	9E	0004C	MOVAB	OUT_NAME_DESC, PROMPT_ARGS+4	:	1377
			7E	D4	00052	CLRL	-(SP)	:	1383
		04	AE	9F	00054	PUSHAB	PROMPT_ARGS	:	
			51	DD	00057	PUSHL	PROMPT_STRING_DESC	:	1384
			7E	D4	00059	CLRL	-(SP)	:	1383
		0000G	CF	9F	0005B	PUSHAB	INFILE_FAB	:	
		0000G	CF	9F	0005F	PUSHAB	COMMON_QUAL_CONTEXT	:	
00000000G	00		06	FB	00063	CALLS	#6, LIB\$QUAL_FILE_MATCH	:	
			04	0006A	RET			:	1386

; Routine Size: 107 bytes, Routine Base: \$CODE\$ + 0206


```
859 1387 1 ROUTINE CREATE_DIR (input_fab, output_fab) =
860 1388 1
861 1389 1 ---
862 1390 1
863 1391 1 This routine is called to create a directory file on
864 1392 1 the output side if the directory does not already exist.
865 1393 1 If the directory already exists, do nothing.
866 1394 1
867 1395 1 Inputs:
868 1396 1
869 1397 1 input_fab = Address of FAB describing opened directory file
870 1398 1 output_fab = Address of FAB describing the device and directory
871 1399 1 into which the directory file should be created.
872 1400 1
873 1401 1 Outputs:
874 1402 1
875 1403 1 Routine value = status return
876 1404 1 ---
877 1405 1
878 1406 2 BEGIN
879 1407 2
880 1408 2 MAP
881 1409 2 input_fab: REF BLOCK[,BYTE], ! Input FAB
882 1410 2 output_fab: REF BLOCK[,BYTE]; ! Output FAB
883 1411 2
884 1412 2 BIND
885 1413 2 input_nam = .input_fab [fab$l_nam]: BLOCK[,BYTE],
886 1414 2 output_nam = .output_fab [fab$l_nam]: BLOCK[,BYTE];
887 1415 2
888 1416 2 LOCAL
889 1417 2 ptr, ! String temporary pointer
890 1418 2 addr,size, ! descriptor of search string
891 1419 2 buffer: VECTOR [nam$sc_maxrss,BYTE], ! file spec buffer
892 1420 2 bufdesc: VECTOR [2], ! descriptor of above buffer
893 1421 2 terminator: BYTE, ! Directory spec. terminator
894 1422 2 status; ! status variable
895 1423 2
896 1424 2 record_count = 0; ! Initialize the record count
897 1425 2 block_count = 0; ! Initialize the block count
898 1426 2
899 1427 2 status = $RMS_PARSE (FAB = .output_fab); ! Get full name of directory file
900 1428 2
901 1429 2 size = .output_nam [nam$b_esl]; ! Get output expanded name
902 1430 2 addr = .output_nam [nam$l_esa];
903 1431 2
904 1432 2 IF NOT .status
905 1433 2 THEN
906 1434 2 BEGIN
907 1435 2 put_message(.status);
908 1436 2 RETURN .status;
909 1437 2 END;
910 1438 2
911 1439 2 ptr = CH$FIND_CH(.size, .addr, ']'); ! Find end of directory spec
912 1440 2 IF .ptr EQL 0 ! If not found,
913 1441 2 THEN
914 1442 2 BEGIN
915 1443 2 ptr = CH$FIND_CH(.size, .addr, '>'); ! Alternate syntax
```

```

: 916      1444      3      IF .ptr EQL 0      ! If still not found,
: 917      1445      3      THEN
: 918      1446      3          put_message(rms$_esa);      ! return invalid expanded string
: 919      1447      3      END;
: 920      1448      3
: 921      1449      3      size = .ptr + 1 - .addr;      ! Figure length of device and dir.
: 922      1450      3      CH$MOVE(.size, .addr, buffer);      ! Copy device and directory into buffer
: 923      1451      3      terminator = .buffer [.size-1];      ! Remember terminator on dir. spec.
: 924      1452      3      buffer [.size-1] = '.';      ! and overwrite it with '.'
: 925      1453      3
: 926      1454      3      bufdesc [0] = .size;      ! Setup buffer descriptor
: 927      1455      3      bufdesc [1] = buffer;
: 928      1456      3
: 929      1457      3      size = .input_nam [nam$_rsl];      ! Get input result name
: 930      1458      3      addr = .input_nam [nam$_rsa];
: 931      1459      3
: 932      1460      3      ptr = CH$FIND_CH(.size, .addr, ']');      ! Find start of file name on input side
: 933      1461      3      IF .ptr EQL 0      ! If not found,
: 934      1462      3      THEN
: 935      1463      3          BEGIN
: 936      1464      3              ptr = CH$FIND_CH(.size, .addr, '>');      ! Alternate syntax
: 937      1465      3              IF .ptr EQL 0      ! If still not found
: 938      1466      3              THEN
: 939      1467      3                  put_message(rms$_esa);      ! return invalid expanded string
: 940      1468      3              END;
: 941      1469      3
: 942      1470      3      size = .size - (.ptr + 1 - .addr);      ! Figure descriptor of file name
: 943      1471      3      addr = .ptr + 1;
: 944      1472      3
: 945      1473      3      ptr = CH$FIND_CH(.size, .addr, '.');      ! Find where file name ends
: 946      1474      3      IF .ptr EQL 0      ! If not found,
: 947      1475      3      THEN
: 948      1476      3          RETURN rms$_esa;      ! return invalid expanded string
: 949      1477      3      size = .ptr - .addr;      ! Figure descriptor of file name only
: 950      1478      3
: 951      1479      3      CH$MOVE(.size, .addr, buffer+.bufdesc[0]);      ! Append subdirectory name to buffer
: 952      1480      3      buffer [.bufdesc[0]+.size] = .terminator;      ! Tack terminator on end of it
: 953      1481      3      bufdesc [0] = .bufdesc[0] + .size + 1;      ! Update string descriptor
: 954      1482      3
: 955      1483      3      out_name_desc [0] = .bufdesc [0];      ! Copy length of string
: 956      1484      3      CH$MOVE(.bufdesc[0], .bufdesc[1], .out_name_desc[1]);      ! and string too
: 957      1485      3
: 958      1486      3      status = LIB$CREATE_DIR (bufdesc);      ! Create directory file with defaults
: 959      1487      3
: 960      1488      3      IF NOT .status      ! If error detected,
: 961      1489      3      THEN
: 962      1490      3          put_messex(.status);      ! then signal status
: 963      1491      3
: 964      1492      3      RETURN .status;      ! return with status
: 965      1493      3
: 966      1494      1      END;
```

.EXTRN SYSSPARSE

OFFC 00000 CREATE_DIR:

		5E	FEF8	CE	9E	00002	.WORD	Save R2,R3,R4,R5,R6,R7,R8,R9,R10,R11	1387
		50	04	AC	D0	00007	MOVAB	-264(SP), SP	1413
		58	28	A0	D0	0000B	MOVL	INPUT_FAB, R0	1414
		50	08	AC	D0	0000F	MOVL	40(R0), R8	1425
		52	28	A0	D0	00013	MOVL	OUTPUT_FAB, R0	1427
			0000'	CF	7C	00017	MOVL	40(R0), R2	1429
				50	DD	0001B	CLRQ	BLOCK_COUNT	1430
	00000000G	00		01	FB	0001D	PUSHL	R0	1432
		5A		50	D0	00024	CALLS	#1, SYSSPARSE	1439
		57	0B	A2	9A	00027	MOVL	R0, STATUS	1440
		56	0C	A2	D0	0002B	MOVZBL	11(R2), SIZE	1443
		03		5A	E8	0002F	MOVL	12(R2), ADDR	1444
				00DD	31	00032	BLBS	STATUS, 1\$	1446
66		57	5D	8F	3A	00035	BRW	10\$	1449
				02	12	0003A	LOCC	#93, SIZE, (ADDR)	1450
				51	D4	0003C	BNEQ	2\$	1451
		59		51	D0	0003E	CLRL	R1	1452
66		57		21	12	00041	MOVL	R1, PTR	1454
				3E	3A	00043	BNEQ	4\$	1455
				02	12	00047	LOCC	#62, SIZE, (ADDR)	1457
				51	D4	00049	BNEQ	3\$	1458
		59		51	D0	0004B	CLRL	R1	1460
				14	12	0004E	MOVL	R1, PTR	1461
			000184FC	8F	DD	00050	BNEQ	4\$	1464
	0000V	CF		01	FB	00056	PUSHL	#99580	1465
				50	DD	0005B	CALLS	#1, COPY\$MSG_NUMBER	1467
	00000000G	00		01	FB	0005D	PUSHL	R0	1470
51		59		56	C3	00064	CALLS	#1, LIB\$STOP	1471
		57	01	A1	9E	00068	SUBL3	ADDR, PTR, R1	1473
08	AE	66		57	28	0006C	MOVAB	1(R1), SIZE	
		5B		47	90	00071	MOVAB	1(R1), SIZE	
	07	AE	07	AE	47	90	MOVAB	SIZE, (ADDR), BUFFER	
		6E		2E	90	00076	MOVAB	BUFFER-1[SIZE], TERMINATOR	
		57		57	D0	0007B	MOVAB	#46, BUFFER-1[SIZE]	
	04	AE	08	AE	9E	0007E	MOVL	SIZE, BUFDESC	
		57	03	A8	9A	00083	MOVAB	BUFFER, BUFDESC+4	
		56	04	A8	D0	00087	MOVZBL	3(R8), SIZE	
66		57	5D	8F	3A	0008B	MOVL	4(R8), ADDR	
				02	12	00090	LOCC	#93, SIZE, (ADDR)	
				51	D4	00092	BNEQ	5\$	
		59		51	D0	00094	CLRL	R1	
				21	12	00097	MOVL	R1, PTR	
66		57		3E	3A	00099	BNEQ	7\$	1461
				02	12	0009D	LOCC	#62, SIZE, (ADDR)	1464
				51	D4	0009F	BNEQ	6\$	
		59		51	D0	000A1	CLRL	R1	
				14	12	000A4	MOVL	R1, PTR	
			000184FC	8F	DD	000A6	BNEQ	7\$	1465
	0000V	CF		01	FB	000AC	PUSHL	#99580	1467
				50	DD	000B1	CALLS	#1, COPY\$MSG_NUMBER	
	00000000G	00		01	FB	000B3	PUSHL	R0	
50		56		59	C3	000BA	CALLS	#1, LIB\$STOP	
		57		47	9E	000BE	SUBL3	PTR, ADDR, R0	
		56	FF	A0	9E	000C3	MOVAB	-1(R0)[SIZE], SIZE	
66		57	01	A9	9E	000C7	MOVAB	1(R9), ADDR	1471
				2E	3A	000CB	LOCC	#46, SIZE, (ADDR)	1473
				02	12	000CD	BNEQ	8\$	
				51	D4	000CD	CLRL	R1	

		59		51	D0	000CF	8\$:	MOVL	R1, PTR		
		50	000184FC	08	12	000D2		BNEQ	9\$		1474
				8F	D0	000D4		MOVL	#99580, R0		1476
					04	000DB		RET			
57		59		56	C3	000DC	9\$:	SUBL3	ADDR, PTR, SIZE		1477
		50	08	AE	9E	000E0		MOVAB	BUFFER, R0		1479
00	BE40	66		57	28	000E4		MOV C3	SIZE, (ADDR), @BUFDESC[R0]		
50		6E		57	C1	000EA		ADDL3	SIZE, BUFDESC, R0		1480
		08	AE40	5B	90	000EE		MOV B	TERMINATOR, BUFFER[R0]		
		6E		A0	9E	000F3		MOVAB	1(R0), BUFDESC		1481
		0000G	CF	6E	D0	000F7		MOVL	BUFDESC, OUT_NAME_DESC		1483
0000G	DF	04	BE	6E	28	000FC		MOV C3	BUFDESC, @BUFDESC+4, @OUT_NAME_DESC+4		1484
				5E	DD	00103		PUSHL	SP		1486
		00000000G	00	01	FB	00105		CALLS	#1, LIB\$CREATE_DIR		
			5A	50	D0	0010C		MOVL	R0, STATUS		
			38	5A	E8	0010F		BLBS	STATUS, 12\$		1488
				5A	DD	00112	10\$:	PUSHL	STATUS		1490
		0000V	CF	01	FB	00114		CALLS	#1, COPY\$MSG_NUMBER		
7E			50	01	7A	00119		EMUL	#1, R0, #0, =(SP)		
50			8E	08	7B	0011E		EDIV	#8, (SP)+, R0, R0		
			04	50	D1	00123		CMPL	R0, #4		
				12	13	00126		BEQL	11\$		
				5A	DD	00128		PUSHL	STATUS		
		0000V	CF	01	FB	0012A		CALLS	#1, COPY\$MSG_NUMBER		
				50	DD	0012F		PUSHL	R0		
		00000000G	00	01	FB	00131		CALLS	#1, LIB\$SIGNAL		
				10	11	00138		BRB	12\$		
				5A	DD	0013A	11\$:	PUSHL	STATUS		
		0000V	CF	01	FB	0013C		CALLS	#1, COPY\$MSG_NUMBER		
				50	DD	00141		PUSHL	R0		
		00000000G	00	01	FB	00143		CALLS	#1, LIB\$STOP		
			50	5A	D0	0014A	12\$:	MOVL	STATUS, R0		1492
				04	0014D			RET			1494

; Routine Size: 334 bytes, Routine Base: \$CODE\$ + 0271


```

: 968      1495 1 ROUTINE RMS_SETUP =                               ! RMS RAB setup routine
: 969      1496 1
: 970      1497 1 ++
: 971      1498 1 FUNCTIONAL DESCRIPTION:
: 972      1499 1
: 973      1500 1     This routine performs all necessary setup of the input and output file RABs:
: 974      1501 1
: 975      1502 1         * determine if record-mode is required
: 976      1503 1         * allocate I/O buffers
: 977      1504 1         * connect the RABs to their respective FABs
: 978      1505 1
: 979      1506 1 FORMAL PARAMETERS:
: 980      1507 1
: 981      1508 1     None
: 982      1509 1
: 983      1510 1 IMPLICIT INPUTS:
: 984      1511 1
: 985      1512 1     EXTEND OUTFILE - Indicates output file is being extended
: 986      1513 1     IO BUFFER BASE - location of the I/O buffer pool
: 987      1514 1     INFILE FAB - Input file FAB
: 988      1515 1     OUTFILE FAB - Output file FAB
: 989      1516 1     INFILE_XABs - Input file XABs
: 990      1517 1
: 991      1518 1 IMPLICIT OUTPUTS:
: 992      1519 1
: 993      1520 1     INFILE RAB - Input file RAB completed and connected
: 994      1521 1     OUTFILE RAB - Output file RAB completed and connected
: 995      1522 1     IO BUFFER BASE - Address of dynamic I/O buffer (1st call only)
: 996      1523 1     BLOCK_IO_SIZE - Length of block I/O operations
: 997      1524 1
: 998      1525 1 COMPLETION CODES:
: 999      1526 1
: 1000     1527 1     OK = normal completion
: 1001     1528 1     ERROR = RAB connect unsuccessful
: 1002     1529 1
: 1003     1530 1 SIDE EFFECTS:
: 1004     1531 1
: 1005     1532 1     None
: 1006     1533 1
: 1007     1534 1 --
: 1008     1535 1
: 1009     1536 2 BEGIN
: 1010     1537 2
: 1011     1538 2 LOCAL
: 1012     1539 2     IN_DEVICE : BLOCK[1,BYTE],                      ! Selected input and output
: 1013     1540 2     OUT_DEVICE : BLOCK[1,BYTE],                     ! device characteristics
: 1014     1541 2
: 1015     1542 2     FORCE_REC_MODE,                                  ! Temporary record-mode I/O indicator
: 1016     1543 2     STATUS,                                         ! System service completion code
: 1017     1544 2     IO_BUFFER_LENGTH : INITIAL(max io length*2),   ! Size of I/O buffer pool
: 1018     1545 2     GETSYI_ITEM_LIST : $ITMLST_DECC(ITEMS=1);      ! Item list for $GETSYI call
: 1019     1546 2
: 1020     1547 2 MACRO
: 1021     1548 2     DISK = 0,0,1,0 %;                                ! IN_DEVICE and OUT_DEVICE bit definitions:
: 1022     1549 2     TAPE = 0,1,1,0 %;                                !     disk device
: 1023     1550 2
: 1024     1551 2 !
```

```
1025 1552 2 ! Allocate a maximum size I/O buffer pool on the 1st call to this routine.
1026 1553 2 !
1027 1554 2
1028 1555 2 IF .io_buffer_base EQL 0
1029 1556 2 THEN
1030 1557 2 BEGIN
1031 1558 2
1032 1559 2 |
1033 1560 2 | Allocate enough virtual memory for the I/O buffer pool. It has to
1034 1561 2 | be large enough to hold two of the largest possible RMS transfers.
1035 1562 2 | ***** NOTE ***** If COPY is ever made callable, the allocation of
1036 1563 2 | the I/O buffer pool will have to be rewritten to be more efficient.
1037 1564 2 |
1038 1565 2
1039 1566 2 IF NOT (status = LIB$GET_VM (io_buffer_length, io_buffer_base))
1040 1567 2 THEN
1041 1568 2 PUT_MESSAGE( MSG$_BADLOGIC, 0, .STATUS, 0, MSG$_ATPC, 1 );
1042 1569 2 END;
1043 1570 2
1044 1571 2 !
1045 1572 2 ! Extract some device information from the input and output file FABs.
1046 1573 2 !
1047 1574 2
1048 1575 2 IN_DEVICE = 0; ! Clear the input and output
1049 1576 2 OUT_DEVICE = 0; ! device characteristics.
1050 1577 2
1051 1578 2 IN_DEVICE[DISK] = ! Turn on the input file disk indicator
1052 1579 2 .INFILE_FAB[$FAB_DEV(FOD)] AND ! if the input device is file-structured
1053 1580 2 NOT .INFILE_FAB[$FAB_DEV(SQD)]; ! and it is not a tape device.
1054 1581 2
1055 1582 2 IN_DEVICE[TAPE] = ! Turn on the input file tape indicator
1056 1583 2 .INFILE_FAB[$FAB_DEV(SQD)]; ! if the input device is a tape.
1057 1584 2
1058 1585 2 OUT_DEVICE[DISK] = ! Turn on the output file disk indicator
1059 1586 2 .OUTFILE_FAB[$FAB_DEV(FOD)] AND ! if the output device is file-structured
1060 1587 2 NOT .OUTFILE_FAB[$FAB_DEV(SQD)]; ! and it is not a tape device.
1061 1588 2
1062 1589 2 OUT_DEVICE[TAPE] = ! Turn on the output file tape indicator
1063 1590 2 .OUTFILE_FAB[$FAB_DEV(SQD)]; ! if the output device is a tape.
1064 1591 2
1065 1592 2 !
1066 1593 2 ! Determine whether the input and output files have compatible attributes. This
1067 1594 2 ! check can only be done if both the input and output devices are the same kind
1068 1595 2 ! and they are file structured. The check should not be done if either the
1069 1596 2 ! input device or the output device is a network device.
1070 1597 2 !
1071 1598 2
1072 1599 2 IF .in_device NEQ .out_device
1073 1600 2 OR
1074 1601 2 .in_device EQL 0
1075 1602 2
1076 1603 2 THEN
1077 1604 2 force_rec_mode = YES
1078 1605 2 ELSE
1079 1606 2 IF NOT(.infile_fab[$FAB_DEV(NET)]
1080 1607 2 OR
1081 1608 2 .outfile_fab[$FAB_DEV(NET)]) ! If neither input or output is network then
```



```
: 1082      1609      2      AND
: 1083      1610      3      (IN_NEQ_OUT(XAB$B_RFO) OR
: 1084      1611      3      IN_NEQ_OUT(XAB$B_ATR) OR
: 1085      1612      3      IN_NEQ_OUT(XAB$B_BKZ) OR
: 1086      1613      3      IN_NEQ_OUT(XAB$B_HSZ) OR
: 1087      1614      4      (.OUTFILE_XABFHC[XAB$W_MRZ] NEQ 0 AND
: 1088      1615      4      .OUTFILE_XABFHC[XAB$W_MRZ] LSS
: 1089      1616      3      .INFILE_XABFHC[XAB$W_LRL]))
: 1090      1617      3      THEN
: 1091      1618      3      BEGIN
: 1092      1619      3      IF NOT .COPY$B_INCOMPAT
: 1093      1620      3      THEN
: 1094      1621      4      BEGIN
: 1095      P 1622      4      PUT_MESSAGE( MSG$ INCOMPAT, 2,
: 1096      1623      4      IN_NAME_DESC, OUT_NAME_DESC );
: 1097      1624      4      COPY$B_INCOMPAT = TRUE;
: 1098      1625      3      END;
: 1099      1626      3      FORCE_REC_MODE = YES;
: 1100      1627      3      END
: 1101      1628      2      ELSE
: 1102      1629      2      FORCE_REC_MODE = NO;
: 1103      1630      2
: 1104      1631      2      :
: 1105      1632      2      Initialize the input and output RABs.
: 1106      1633      2      :
: 1107      1634      2      :
: 1108      P 1635      2      $RAB_INIT( RAB = INFILE_RAB,
: 1109      P 1636      2      RAC = SEQ,
: 1110      P 1637      2      ROP = <LOC,RAH>,
: 1111      1638      2      FAB = INFILE_FAB);
: 1112      1639      2      :
: 1113      P 1640      2      $RAB_INIT( RAB = OUTFILE_RAB,
: 1114      P 1641      2      RAC = SEQ,
: 1115      P 1642      2      FAB = OUTFILE_FAB,
: 1116      1643      2      ROP = <TPT,WBR> );
: 1117      1644      2      :
: 1118      1645      2      :
: 1119      1646      2      :
: 1120      1647      2      :
: 1121      1648      2      Determine whether record-mode I/O is required for this file copy operation.
: 1122      1649      2      At least one of the following conditions must be true for record mode
: 1123      1650      2      operations to be performed:
: 1124      1651      2      - the input and output attributes are incompatible,
: 1125      1652      2      - the output file is being extended,
: 1126      1653      2      - the input and output devices are not the same type,
: 1127      1654      2      - both devices are record mode devices,
: 1128      1655      2      - this is a tape-to-tape copy AND
: 1129      1656      2      the input and output blocksizes are not the same
: 1130      1657      2      OR
: 1131      1658      2      one tape is mounted foreign and the other is ANSI.
: 1132      1659      2      :
: 1133      1660      2      :
: 1134      1661      2      IF .FORCE_REC_MODE
: 1135      1662      2      OR
: 1136      1663      2      .EXTEND_OUTFILE
: 1137      1664      2      OR
: 1138      1665      2      .IN_DEVICE NEQ .OUT_DEVICE
```

Compare the following input and output XAB fields:
record format and file organization
record attributes
bucket size
fixed header size
maximum output record size (if any)
and longest input record

If the input and output attributes are not identical
and this message has not appeared yet
for this output file,
send the user a warning message
Set flag saying that message is out.
and force a record-mode copy.

Otherwise, turn the record-mode indicator off.

Setup the input file RAB as follows:
Sequential record access
GET locate, read ahead
Input file FAB address

Setup the output file RAB as follows:
Sequential access
Output file FAB address
Force EOF on every write or put,
and specify write behind for multi-buffering.


```

: 1139      1666      2
: 1140      1667      2
: 1141      1668      2
: 1142      1669      2
: 1143      1670      2
: 1144      1671      3
: 1145      1672      4
: 1146      1673      5
: 1147      1674      4
: 1148      1675      5
: 1149      1676      4
: 1150      1677      3
: 1151      1678      2
: 1152      1679      2
: 1153      1680      2
: 1154      1681      2
: 1155      1682      2
: 1156      1683      2
: 1157      1684      2
: 1158      1685      2
: 1159      1686      2
: 1160      1687      2
: 1161      1688      2
: 1162      1689      2
: 1163      1690      2
: 1164      1691      2
: 1165      1692      2
: 1166      1693      2
: 1167      1694      2
: 1168      1695      2
: 1169      1696      2
: 1170      1697      2
: 1171      1698      2
: 1172      1699      2
: 1173      1700      2
: 1174      1701      2
: 1175      1702      2
: 1176      1703      2
: 1177      1704      2
: 1178      1705      2
: 1179      1706      2
: 1180      1707      2
: 1181      1708      2
: 1182      1709      2
: 1183      1710      2
: 1184      1711      2
: 1185      1712      2
: 1186      1713      2
: 1187      1714      2
: 1188      1715      2
: 1189      1716      2
: 1190      1717      2
: 1191      1718      2
: 1192      1719      2
: 1193      1720      2
: 1194      1721      2
: 1195      1722      3

      OR
      .IN_DEVICE EQL 0
      OR
      (
      .INFILE_FAB [$FAB_DEV (SQD)]
      AND
      (
      ( .INFILE_FAB [FAB$W_BLS] NEQ .OUTFILE_FAB [FAB$W_BLS] )
      OR
      ( .INFILE_FAB [$FAB_DEV (FOR)] NEQ .OUTFILE_FAB [$FAB_DEV (FC)] )
      )
      )
      )
      Record mode I/O setup.

      THEN
      BEGIN
      |
      | Indicate that record mode is required, block i/o will not be used for
      | this file, and that the record operations will be synchronous.
      |
      record_mode = YES;
      infile_rab[RAB$V_BIO] = NO;
      outfile_rab[RAB$V_BIO] = NO;
      infile_rab[RAB$V_ASY] = NO;
      outfile_rab[RAB$V_ASY] = NO;

      |
      | Determine the size of the user's buffer which is passed to RMS.
      | If the input device is tape, then the user's buffer must be large
      | enough to contain one complete tape block. Otherwise, (the input
      | device is not tape) use either the the maximum record size or the
      | the longest record length for the size of the user's buffer, if they
      | are specified. If none of the above cases are met, use the longest
      | legal transfer size as the length of the user's buffer.
      |
      IF .in_device[tape]
      THEN
      infile_rab[RAB$W_USZ] = .infile_fab[FAB$W_BLS]
      ELSE
      IF .infile_xabfhc[XAB$W_MRZ] NEQ 0
      THEN
      infile_rab[RAB$W_USZ] = .infile_xabfhc[XAB$W_MRZ]
      ELSE
      IF .infile_xabfhc[XAB$W_LRL] NEQ 0
      THEN
      infile_rab[RAB$W_USZ] = .infile_xabfhc[XAB$W_LRL]
      ELSE
      infile_rab[RAB$W_USZ] = max_io_length;

      |
      | Set up the user's buffer within the I/O buffer pool. If the record
      | format of the file is VFC, then allocate areas in the buffer pool
      | for the fixed header and variable portions of the record. Otherwise,
```



```
1196      1723      3      | just use the start of the I/O buffer pool as the start of the user's
1197      1724      3      | buffer.
1198      1725      3      |
1199      1726      3      | IF .infile_fab[FAB$B_RFM] EQL FAB$C_VFC
1200      1727      3      | THEN
1201      1728      3      |     BEGIN
1202      1729      3      |         infile_rab[RAB$L_RHB] = .io_buffer_base;
1203      1730      3      |         outfile_rab[RAB$L_RHB] = .infile_rab[RAB$L_RHB];
1204      1731      3      |         infile_rab[RAB$L_OBF] = .io_buffer_base + .infile_xabfhc[XAB$B_HSZ];
1205      1732      3      |     END
1206      1733      3      | ELSE
1207      1734      3      |     infile_rab[RAB$L_UBF] = .io_buffer_base;
1208      1735      3      |
1209      1736      3      |
1210      1737      3      | Determine the best multi-block count for copying the input file. Use
1211      1738      3      | that MBC for both the input and output file RABs.
1212      1739      3      |
1213      1740      3      | IF .infile_fab [FAB$W_BLS] GTR .outfile_fab [FAB$W_BLS]
1214      1741      3      | THEN
1215      1742      3      |     | The input device is tape or some other record oriented device.
1216      1743      3      |     | Have RMS allocate enough buffer space to hold a complete block.
1217      1744      3      |     |
1218      1745      3      |     | infile_rab [RAB$B_MBC] = (.infile_fab [FAB$W_BLS] + 511) / disk_block_size
1219      1746      3      | ELSE
1220      1747      3      |     IF .outfile_fab [FAB$W_BLS] NEQ 0
1221      1748      3      |     THEN
1222      1749      3      |         | The output device is record oriented and its block size is
1223      1750      3      |         | larger than the input device's. Therefore, RMS should
1224      1751      3      |         | allocate enough buffer space to hold a complete block for the
1225      1752      3      |         | output device.
1226      1753      3      |         |
1227      1754      3      |         | infile_rab [RAB$B_MBC] = (.outfile_fab [FAB$W_BLS] + 511) / disk_block_size
1228      1755      3      |     ELSE
1229      1756      3      |         | This is either a disk to disk transfer or something else.
1230      1757      3      |         | Just use the system default.
1231      1758      3      |         |
1232      1759      3      |         | infile_rab [RAB$B_MBC] = .rms_mbc;
1233      1760      3      |         |
1234      1761      3      |         | outfile_rab [RAB$B_MBC] = .infile_rab [RAB$B_MBC];
1235      1762      3      |         |
1236      1763      3      |         |
1237      1764      3      |         | Have RMS set up two internal buffers, to speed up processing.
1238      1765      3      |         |
1239      1766      3      |         | infile_rab [RAB$B_MBF] = double_buffer;
1240      1767      3      |         | outfile_rab [RAB$B_MBF] = double_buffer;
1241      1768      3      |         |
1242      1769      3      |         |
1243      1770      3      |         |
1244      1771      3      |         |
1245      1772      3      |         |
1246      1773      3      |         |
1247      1774      3      |         | Block mode I/O setup.
1248      1775      3      |         |
1249      1776      3      |         |
1250      1777      3      |         | ELSE
1251      1778      3      |         | BEGIN
1252      1779      3      |         |
```

```

1253 1780
1254 1781
1255 1782
1256 1783
1257 1784
1258 1785
1259 1786
1260 1787
1261 1788
1262 1789
1263 1790
1264 1791
1265 1792
1266 1793
1267 1794
1268 1795
1269 1796
1270 1797
1271 1798
1272 1799
1273 1800
1274 1801
1275 1802
1276 1803
1277 1804
1278 1805
1279 1806
1280 1807
1281 1808
1282 1809
1283 1810
1284 1811
1285 1812
1286 1813
1287 1814
1288 1815
1289 1816
1290 1817
1291 1818
1292 1819
1293 1820
1294 1821
1295 P 1822
1296 1823
1297 1824
1298 1825
1299 1826
1300 1827
1301 1828
1302 1829
1303 1830
1304 1831
1305 P 1832
1306 1833
1307 1834
1308 1835
1309 1836

      |
      | Indicate that record mode is not desired and that block mode will be
      | used for both input and output, and that reading and writing will be
      | synchronous. However, ASY will be set after the $CONNECT to avoid
      | having to issue a $WAIT on the connect.
      |
      |
      | record_mode = NO;
      | infile_rab[RAB$V_BIO] = YES;
      | outfile_rab[RAB$V_BIO] = YES;
      | infile_rab[RAB$V_ASY] = NO;
      | outfile_rab[RAB$V_ASY] = NO;
      |
      |
      | Determine the appropriate block size and user buffer size for copying
      | the current input file.
      |
      | IF .in_device[tape]
      | THEN
      | BEGIN
      |   block_size = .infile_fab [FAB$W_BLS];
      |   infile_rab[RAB$W_USZ] = .infile_fab[FAB$W_BLS];
      | END
      | ELSE
      | BEGIN
      |   block_size = disk_block_size;
      |   infile_rab[RAB$W_USZ] = .rms_mbc * disk_block_size;
      | END;
      |
      |
      | Set up the user's buffer, which are passed to RMS, within the I/O
      | buffer pool.
      |
      |
      | infile_rab[RAB$L_UBF] = .io_buffer_base;
      | outfile_rab[RAB$L_RBF] = .io_buffer_base + .infile_rab[RAB$W_USZ];
      | END;
      |
      |
      | Connect the input and output RABs to their respective FABs.
      |
      |
      | IF NOT $RMS_CONNECT( RAB = INFILE_RAB,
      |                      ERR = COPY$INOPN_ERR )
      | THEN
      | RETURN NO_FILE;
      |
      | IF .EXTEND_OUTFILE
      | THEN
      |   OUTFILE_RAB[RAB$V_EOF] = YES;
      |
      | IF NOT $RMS_CONNECT( RAB = OUTFILE_RAB,
      |                      ERR = COPY$OUTOPN_ERR )
      | THEN
      | RETURN NO_FILE;
      |
      |
      | Connect the input file RAB to the FAB,
      | specifying an error action routine.
      |
      | If the connect was not successful,
      | return an error indication to the caller.
      |
      | If the output file is being extended,
      | force end-of-file positioning on the following CON
      |
      | Connect the output file RAB to the FAB,
      | specifying an error action routine.
      |
      | If the connect was not successful,
      | return an error indication to the caller.

```



```
! If block I/O mode

!
! indicate that reading and
! writing will be asynchronous
!
!
!
! Return a success code to the caller.
```

				VFFC	0000G	RMS_SE UP:				
5B				CF	9E	00002	.WORD	Save R2,R3,R4,R5,R6,R7,R8,R9,R10,R11	: 1495	
5A				CF	9E	00007	MOVAB	INFILE FAB+64, R11	:	
59				CF	9E	0000C	MOVAB	\$RMS_PTR+4, R10	:	
5E				10	C2	00011	MOVAB	\$RMS_PTR+4, R9	:	
	0001FFFFE			8F	DD	00014	SUBL2	#16, SP	:	
	0000'			CF	D5	0001A	PUSHL	#131070	: 1536	
				31	12	0001E	TSTL	IO_BUFFER_BASE	: 1555	
	0000'			CF	9F	00020	BNEQ	1\$:	
	04			AE	9F	00024	PUSHAB	IO_BUFFER_BASE	: 1566	
00000000G	00			02	FB	00027	PUSHAB	IO_BUFFER_LENGTH	:	
	20			50	E8	0002E	CALLS	#2, LIB\$GET_VM	:	
				01	DD	00031	BLBS	STATUS, 1\$ -	:	
7E	115A			8F	3C	00033	PUSHL	#1	: 1568	
				7E	D4	00038	MOVZWL	#4442, -(SP)	:	
				50	DD	0003A	CLRL	-(SP)	:	
				7E	D4	0003C	PUSHL	STATUS	:	
	7E	1124		8F	3C	0003E	CLRL	-(SP)	:	
0000V	CF			01	FB	00043	MOVZWL	#4388, -(SP)	:	
				50	DD	00048	CALLS	#1, COPY\$MESSG_NUMBER	:	
00000000G	00			06	FB	0004A	PUSHL	R0	:	
				57	94	00051	CALLS	#6, LIB\$STOP	:	
				50	94	00053	CLRB	IN_DEVICE	: 1575	
				06	EF	00055	CLRB	OUT_DEVICE	: 1576	
51	01	AB	01	05	EF	00058	EXTZV	#6, #1, INFILE_FAB+65, R1	: 1580	
52		6B	01	52	8A	00060	EXTZV	#5, #1, INFILE_FAB+64, R2	:	
			51	51	F0	00063	BICB2	R2, R1	:	
57		01	00	05	EF	00068	INSV	R1, #0, #1, IN_DEVICE	:	
51		6B	01	51	F0	0006D	EXTZV	#5, #1, INFILE_FAB+64, R1	: 1583	
57		01	01	06	EF	00072	INSV	R1, #1, #1, IN_DEVICE	:	
51	0000G	CF	01	05	EF	00079	EXTZV	#6, #1, OUTFILE_FAB+65, R1	: 1587	
52	0000G	CF	01	52	8A	00080	EXTZV	#5, #1, OUTFILE_FAB+64, R2	:	
			51	51	F0	00083	BICB2	R2, R1	:	
50		01	00	51	F0	00083	INSV	R1, #0, #1, OUT_DEVICE	:	

51	0000G	CF	01	05	EF	00088	EXTZV	#5, #1, OUTFILE_FAB+64, R1	1590
50		01	01	51	FO	0008F	INSV	R1, #1, #1, OUT_DEVICE	1599
			50	58	D4	00094	CLRL	R8	
				57	91	00096	CMPB	IN_DEVICE, OUT_DEVICE	
				04	13	00099	BEQL	2\$	
				58	D6	0009B	INCL	R8	
				68	11	0009D	BRB	4\$	
				57	95	0009F	TSTB	IN_DEVICE	1601
				64	13	000A1	BEQL	4\$	
64	01	AB		05	E0	000A3	BBS	#5, INFILE_FAB+65, 5\$	1606
5E	0000G	CF		05	E0	000A8	BBS	#5, OUTFILE_FAB+65, 5\$	1608
	0000G	CF	0000G	CF	91	000AE	CMPB	INFILE_XABFHC+8, OUTFILE_XABFHC+8	1610
				29	12	000B5	BNEQ	3\$	
	0000G	CF	0000G	CF	91	000B7	CMPB	INFILE_XABFHC+9, OUTFILE_XABFHC+9	1611
				20	12	000BE	BNEQ	3\$	
	0000G	CF	0000G	CF	91	000C0	CMPB	INFILE_XABFHC+22, OUTFILE_XABFHC+22	1612
				17	12	000C7	BNEQ	3\$	
	0000G	CF	0000G	CF	91	000C9	CMPB	INFILE_XABFHC+23, OUTFILE_XABFHC+23	1613
				0E	12	000D0	BNEQ	3\$	
			50	0000G	CF	3C	MOVZWL	OUTFILE_XABFHC+24, R0	1614
				33	13	000D7	BEQL	5\$	
			50	0000G	CF	B1	CMPW	INFILE_XABFHC+10, R0	1616
				2C	1B	000DE	BLEQU	5\$	
			22	0000'	CF	E8	BLBS	COPY\$B_INCOMPAT, 4\$	1619
				0000G	CF	9F	PUSHAB	OUT_NAME_DESC	1623
				0000G	CF	9F	PUSHAB	IN_NAME_DESC	
					02	DD	PUSHL	#2	
			7E	11E0	8F	3C	MOVZWL	#4576, -(SP)	
	0000V	CF			01	FB	CALLS	#1, COPY\$MSG_NUMBER	
					50	DD	PUSHL	R0	
	00000000G	00			04	FB	CALLS	#4, LIB\$SIGNAL	
	0000'	CF			01	90	MOVB	#1, COPY\$B_INCOMPAT	1624
			56		01	D0	MOVL	#1, FORCE_REC_MODE	1626
					02	11	BRB	6\$	1606
					56	D4	CLRL	FORCE_REC_MODE	1629
0044	8F	00	6E		00	2C	MOVCS	#0, (SP), #0, #68, \$RMS_PTR	1638
				FC	A9				
			FC	A9	4401	8F	MOVW	#17409, \$RMS_PTR	
			69	00010200	8F	D0	MOVL	#66048, \$RMS_PTR+4	
				1A	A9	94	CLRB	\$RMS_PTR+30	
			38	A9	C0	AB	MOVAB	INFILE_FAB, \$RMS_PTR+60	
0044	8F	00	6E		00	2C	MOVCS	#0, (SP), #0, #68, \$RMS_PTR	1643
				FC	AA				
			FC	AA	4401	8F	MOVW	#17409, \$RMS_PTR	
			6A		0402	8F	MOVZWL	#1026, \$RMS_PTR+4	
				1A	AA	94	CLRB	\$RMS_PTR+30	
			38	AA	0000G	CF	MOVAB	OUTFILE_FAB, \$RMS_PTR+60	
			51		0000'	CF	MOVL	IO_BUFFER_BASE, RT	1729
			26			56	BLBS	FORCE_REC_MODE, 9\$	1661
				0000'	CF	95	TSTB	COPY\$SEM_STATUS+2	1663
					20	19	BLSS	9\$	
			1D		58	E8	BLBS	R8, 9\$	1665
					57	95	TSTB	IN_DEVICE	1667
					19	13	BEQL	9\$	
			03	6B	05	E0	BBS	#5, INFILE_FAB+64, 8\$	1670
					00B6	31	BRW	19\$	
	0000G	CF	FC	AB	B1	00165	CMPW	INFILE_FAB+60, OUTFILE_FAB+60	1673

50	0000G	CF	03	0A	12	0016B	BNEQ	9\$	1675
		EB		AB	8D	0016D	XORB3	INFILE_FAB+67, OUTFILE_FAB+67, R0	1689
	0000'	CF	40	50	E9	00174	BLBC	R0, 7\$	1690
	01	A9		8F	88	00177	BISB2	#64, COPY\$SEM STATUS+2	1691
	01	AA		08	8A	0017D	BICB2	#8, INFILE_RAB+5	1692
		69		08	8A	00181	BICB2	#8, OUTFILE_RAB+5	1693
		6A		01	8A	00185	BICB2	#1, INFILE_RAB+4	1704
07		57		01	8A	00188	BICB2	#1, OUTFILE_RAB+4	1706
	1C	A9	FC	AB	B0	0018F	BBC	#1, IN_DEVICE, 10\$	1708
				18	11	00194	MOVW	INFILE_FAB+60, INFILE_RAB+32	1712
		50	0000G	CF	3C	00196	BRB	13\$	1714
		50	0000G	07	12	0019B	MOVZWL	INFILE_XABFHC+24, R0	1716
				CF	3C	0019D	BNEQ	11\$	1726
	1C	A9		06	13	001A2	MOVZWL	INFILE_XABFHC+10, R0	1729
				50	B0	001A4	BEQL	12\$	1730
	1C	A9		04	11	001A8	MOVW	R0, INFILE_RAB+32	1731
		03	DF	01	AE	001AA	BRB	13\$	1734
				AB	91	001AE	MNEGW	#1, INFILE_RAB+32	1740
				15	12	001B2	CMPB	INFILE_FAB+31, #3	1746
	28	A9		51	D0	001B4	BNEQ	14\$	1756
	28	AA	28	A9	D0	001B8	MOVL	R1, INFILE_RAB+44	1762
20	A9	50	0000G	CF	9A	001BD	MOVL	INFILE_RAB+44, OUTFILE_RAB+44	1764
		51		50	C1	001C2	MOVZBL	INFILE_XABFHC+23, R0	1769
				04	11	001C7	ADDL3	R0, R1, INFILE_RAB+36	1770
	20	A9		51	D0	001C9	BRB	15\$	1787
		50	0000G	CF	3C	001CD	MOVL	R1, INFILE_RAB+36	1788
		50	FC	AB	B1	001D2	MOVZWL	OUTFILE_FAB+60, R0	1789
				17	1B	001D6	CMPW	INFILE_FAB+60, R0	1790
		51	FC	AB	3C	001D8	BLEQU	16\$	1791
		51	01FF	C1	9E	001DC	MOVZWL	INFILE_FAB+60, R1	1797
52		51	00000200	8F	C7	001E1	MOVAB	511(R1), R1	1800
	33	A9		52	90	001E9	DIVL3	#512, R1, R2	1801
				1D	11	001ED	MOVB	R2, INFILE_RAB+55	1805
				50	D5	001EF	BRB	18\$	1806
				13	13	001F1	TSTL	R0	1814
		50	01FF	C0	9E	001F3	BEQL	17\$	1814
51		50	00000200	8F	C7	001F8	MOVAB	511(R0), R0	1814
	33	A9		51	90	00200	DIVL3	#512, R0, R1	1814
				06	11	00204	MOVB	R1, INFILE_RAB+55	1814
	33	A9	0000'	CF	90	00206	BRB	18\$	1814
	33	AA	33	A9	90	0020C	MOVB	RMS MBC, INFILE_RAB+55	1814
	32	A9		02	90	00211	MOVB	INFILE_RAB+55, OUTFILE_RAB+55	1814
	32	AA		02	90	00215	MOVB	#2, INFILE_RAB+54	1814
				42	11	00219	MOVB	#2, OUTFILE_RAB+54	1814
	0000'	CF	40	8F	8A	0021B	BRB	22\$	1814
	01	A9		08	88	00221	BICB2	#64, COPY\$SEM STATUS+2	1814
	01	AA		08	88	00225	BISB2	#8, INFILE_RAB+5	1814
		69		01	8A	00229	BISB2	#8, OUTFILE_RAB+5	1814
		6A		01	8A	0022C	BICB2	#1, INFILE_RAB+4	1814
0D		57		01	8A	0022F	BICB2	#1, OUTFILE_RAB+4	1814
	0000'	CF	FC	AB	E1	0022F	BBC	#1, IN_DEVICE, 20\$	1814
	1C	A9	FC	AB	3C	00233	MOVZWL	INFILE_FAB+60, BLOCK SIZE	1814
				10	11	0023E	MOVW	INFILE_FAB+60, INFILE_RAB+32	1814
	0000'	CF	0200	8F	3C	00240	BRB	21\$	1814
1C	A9	0000'	0200	8F	A5	00247	MOVZWL	#512, BLOCK SIZE	1814
	20	A9		51	D0	00250	MULW3	#512, RMS MBC, INFILE_RAB+32	1814
							MOVL	R1, INFILE_RAB+36	1814

24	AA	50	1C	A9	3C	00254	MOVZWL	INFILE_RAB+32, R0	:	1815
		51		50	C1	00258	ADDL3	R0, R1, OUTFILE_RAB+40	:	
			0000V	CF	9F	0025D	PUSHAB	COPY\$INOPN_ERR	:	1823
			FC	A9	9F	00261	PUSHAB	INFILE_RAB	:	
	00000000G	00		02	FB	00264	CALLS	#2, SYS\$CONNECT	:	
		2B		50	E9	0026B	BLBC	R0, 25\$:	
			0000'	CF	95	0026E	TSTB	COPY\$SEM_STATUS+2	:	1828
				04	18	00272	BGEQ	23\$:	
	01	AA		01	88	00274	BISB2	#1, OUTFILE_RAB+5	:	1830
			0000V	CF	9F	00278	PUSHAB	COPY\$OUTOPN_ERR	:	1833
			FC	AA	9F	0027C	PUSHAB	OUTFILE_RAB	:	
	00000000G	00		02	FB	0027F	CALLS	#2, SYS\$CONNECT	:	
		10		50	E9	00286	BLBC	R0, 25\$:	
06	0000'	CF		06	F0	00289	BBS	#6, COPY\$SEM_STATUS+2, 24\$:	1842
		69		01	88	0028F	BISB2	#1, INFILE_RAB+4	:	1845
		6A		01	88	00292	BISB2	#1, OUTFILE_RAB+4	:	1846
		50		01	D0	00295	MOVL	#1, R0	:	1853
					04	00298	RET		:	
				50	D4	00299	CLRL	R0	:	1854
					04	0029B	RET		:	

; Routine Size: 668 bytes, Routine Base: \$CODE\$ + 03BF


```

1329 1855 1 PSECT CODE = COPY$COPY_FILE (ALIGN(9));           ! Force page alignment for this routine.
1330 1856 1
1331 1857 1 ROUTINE COPY_FILE =                             ! Copies an entire input file to the output file
1332 1858 1
1333 1859 1 ++
1334 1860 1 FUNCTIONAL DESCRIPTION:
1335 1861 1
1336 1862 1     This routine copies an entire input file into the output file,
1337 1863 1     using block mode I/O if possible.
1338 1864 1
1339 1865 1     This routine is page-aligned in order to minimize page faulting
1340 1866 1     due to executing the code which performs the actual file copying.
1341 1867 1
1342 1868 1 FORMAL PARAMETERS:
1343 1869 1
1344 1870 1     None
1345 1871 1
1346 1872 1 IMPLICIT INPUTS:
1347 1873 1
1348 1874 1     RECORD_MODE - Indicates whether record mode I/O is required
1349 1875 1     INFILE_FAB - Input file FAB
1350 1876 1     INFILE_RAB - Input file RAB
1351 1877 1
1352 1878 1 IMPLICIT OUTPUTS:
1353 1879 1
1354 1880 1     RECORD_COUNT - Number of input file records copied
1355 1881 1     BLOCK_COUNT - Number of input file blocks copied
1356 1882 1
1357 1883 1 COMPLETION CODES:
1358 1884 1
1359 1885 1     OK = successful copy
1360 1886 1     ERROR = I/O error during copy
1361 1887 1
1362 1888 1 SIDE EFFECTS:
1363 1889 1
1364 1890 1     None
1365 1891 1
1366 1892 1 --
1367 1893 1
1368 1894 2 BEGIN
1369 1895 2
1370 1896 2 LOCAL
1371 1897 2     NEXT_READ;                                     ! Temporary buffer pointer
1372 1898 2
1373 1899 2
1374 1900 2 Initialization
1375 1901 2
1376 1902 2
1377 1903 2     RECORD_COUNT = 0;                               ! Zero the input file record
1378 1904 2     BLOCK_COUNT = 0;                               ! and block counters.
1379 1905 2
1380 1906 2
1381 1907 2 If necessary, copy the input file to the output file one record at a time.
1382 1908 2
1383 1909 2
1384 1910 2 IF .RECORD_MODE                                     ! Test the record mode I/O indicator.
1385 1911 2 THEN

```

```
: 1386      1912  2      WHILE 1 DO
: 1387      1913  3      BEGIN
: 1388      1914  3
: 1389      1915  3
: 1390      1916  4      IF NOT $RMS_GET( RAB = INFILE_RAB )
: 1391      1917  4      ! Get one record from the input file.
: 1392      1918  3      THEN
: 1393      1919  4      BEGIN
: 1394      1920  4      ! If the get was not successful,
: 1395      1921  4      ! begin error processing.
: 1396      1922  4      IF .INFILE_RAB[RAB$L_STS] EQL RMSS_EOF
: 1397      1923  4      ! If the error was an input end-of-file,
: 1398      1924  4      ! THEN
: 1399      1925  4      ! RETURN OK;
: 1400      1926  4      !
: 1401      1927  4      ! IN READ ERROR();
: 1402      1928  4      ! RETURN ERROR;
: 1403      1929  3      !
: 1404      1930  3      ! END;
: 1405      1931  3      !
: 1406      1932  3      ! OUTFILE_RAB[RAB$L_RBF] =
: 1407      1933  3      ! .INFILE_RAB[RAB$L_RBF];
: 1408      1934  3      ! OUTFILE_RAB[RAB$W_RSZ] =
: 1409      1935  4      ! .INFILE_RAB[RAB$W_RSZ];
: 1410      1936  4      ! IF $RMS_PUT( RAB = OUTFILE_RAB )
: 1411      1937  3      ! Write one record into the output file.
: 1412      1938  3      ! THEN
: 1413      1939  3      ! RECORD_COUNT = .RECORD_COUNT + 1
: 1414      1940  4      ! If the put was successful,
: 1415      1941  4      ! increment the record counter.
: 1416      1942  4      ! ELSE
: 1417      1943  3      ! BEGIN
: 1418      1944  3      ! OUT WRITE ERROR();
: 1419      1945  3      ! RETURN ERROR;
: 1420      1946  3      ! END;
: 1421      1947  3      !
: 1422      1948  3      ! END
: 1423      1949  3      ! End of record mode copy loop.
: 1424      1950  3
: 1425      1951  2      ELSE
: 1426      1952  2      WHILE 1 DO
: 1427      1953  3      BEGIN
: 1428      1954  3
: 1429      1955  3
: 1430      1956  3      $RMS_READ( RAB = INFILE_RAB );
: 1431      1957  3      ! Begin an asynchronous read from the input file.
: 1432      1958  4      IF NOT $RMS_WAIT( RAB = OUTFILE_RAB )
: 1433      1959  3      ! Wait for the previous write to complete.
: 1434      1960  4      THEN
: 1435      1961  4      ! BEGIN
: 1436      1962  4      ! OUT WRITE ERROR();
: 1437      1963  4      ! $RMS_WAIT( RAB = INFILE_RAB );
: 1438      1964  3      ! wait for the previous read to complete,
: 1439      1965  3      ! RETURN ERROR;
: 1440      1966  4      ! and then return an error code to the caller.
: 1441      1967  3      ! END;
: 1442      1968  4      ! IF $RMS_WAIT( RAB = INFILE_RAB )
: 1443      1969  3      ! Wait for the previous read to complete.
: 1444      1970  3      ! THEN
: 1445      1971  3      ! BEGIN
: 1446      1972  3      ! If the read was successful,
```

! If possible, copy the input file to the output file a block at a time.


```
: 1443      1969  4      INFILE_RAB[RAB$L_UBF] =      ! save the current output buffer address
: 1444      1970  4      .OUTFILE_RAB[RAB$L_RBF];
: 1445      1971  4      OUTFILE_RAB[RAB$C_RBF] =      ! and copy the input block address and block size
: 1446      1972  4      .INFILE_RAB[RAB$L_RBF];      ! from the input file RAB into the output RAB.
: 1447      1973  4      OUTFILE_RAB[RAB$W_RSZ] =
: 1448      1974  4      .INFILE_RAB[RAB$W_RSZ];
: 1449      1975  4
: 1450      1976  4      $RMS_WRITE( RAB = OUTFILE_RAB );      ! Initiate an asynchronous write.
: 1451      1977  4
: 1452      1978  4      BLOCK_COUNT = .BLOCK_COUNT +      ! Increment the count of blocks written.
: 1453      1979  5      ( .INFILE_RAB[RAB$W_RSZ] +
: 1454      1980  4      .BLOCK_SIZE - 1 ) / .BLOCK_SIZE;
: 1455      1981  4      END
: 1456      1982  3      ELSE
: 1457      1983  4      BEGIN      ! If the read was unsuccessful,
: 1458      1984  4      ! begin special input error processing.
: 1459      1985  4      IF .INFILE_RAB[RAB$L_STS] EQL RMSS_EOF      ! If the error was an input end-of-file,
: 1460      1986  4      THEN      !
: 1461      1987  4      RETURN OK;      ! return a success code to the caller.
: 1462      1988  4
: 1463      1989  4      IN READ_ERROR();      ! Otherwise, send an error message to the user
: 1464      1990  4      RETURN ERROR;      ! and then return an error code to the caller.
: 1465      1991  3      END;
: 1466      1992  3
: 1467      1993  2      END;      ! End of block mode copy loop.
: 1468      1994  2
: 1469      1995  2      RETURN OK;
: 1470      1996  1      END;
```

```
.EXTRN  SYSSGET, SYSSPUT
.EXTRN  SYSSREAD, SYSSWAIT
.EXTRN  SYSSWRITE

.PSECT  COPY$COPY_FILE,NOWRT,9
```

```
003C 00000 COPY_FILE:
55      0000'  CF  9E 00002      .WORD      Save R2,R3,R4,R5      : 1857
54      00000000G  00  9E 00007      MOVAB     BLOCK_COUNT, R5
53      0000G  CF  9E 0000E      MOVAB     SYSSWAIT, R4
52      0000G  CF  9E 00013      MOVAB     OUTFILE_RAB+40, R3
65      7C 00018      MOVAB     INFILE_RAB, R2
2E      36  A5      06  E1 0001A      CLRQ     BLOCK_COUNT      : 1904
52      DD 0001F  1$:  BBC      #6, COPY$SEM_STATUS+2, 3$      : 1910
00000000G  00      01  FB 00021      PUSHL    R2      : 1916
72      50  E9 00028      CALLS    #1, SYSSGET
63      28  A2  D0 0002B      BLBC     R0, 5$
FA      A3      22  A2  B0 0002F      MOVL     INFILE_RAB+40, OUTFILE_RAB+40      : 1931
00000000G  00      D8  A3  9F 00034      MOVW     INFILE_RAB+34, OUTFILE_RAB+34      : 1933
05      01  FB 00037      PUSHAB   OUTFILE_RAB      : 1935
04      50  E9 0003E      CALLS    #1, SYSSPUT
0000V  CF      04  A5  D6 00041      BLBC     R0, 2$
D9      11 00044      INCL     RECORD_COUNT      : 1938
00      00  FB 00046  2$: BRB      1$
5F      11 0004B      CALLS    #0, OUT_WRITE_ERROR      : 1941
BRB      6$      : 1942
```

00000000G	00		52	DD	0004D	3\$:	PUSHL	R2		: 1956
			01	FB	0004F		CALLS	#1, SYSS\$READ		: 1958
	64	D8	A3	9F	00056		PUSHAB	OUTFILE_RAB		: 1961
	OC		01	FB	00059		CALLS	#1, SYSS\$WAIT		: 1962
0000V	CF		50	E8	0005C		BLBS	R0, 4\$: 1963
			00	FB	0005F		CALLS	#0, OUT_WRITE_ERROR		: 1966
	64		52	DD	00064		PUSHL	R2		: 1970
			01	FB	00066		CALLS	#1, SYSS\$WAIT		: 1972
			41	11	00069		BRB	6\$: 1974
			52	DD	0006B	4\$:	PUSHL	R2		: 1976
	64		01	FB	0006D		CALLS	#1, SYSS\$WAIT		: 1980
	2A		50	E9	00070		BLBC	R0, 5\$: 1979
24	A2		63	D0	00073		MOVL	OUTFILE_RAB+40, INFILE_RAB+36		: 1980
	63	28	A2	D0	00077		MOVL	INFILE_RAB+40, OUTFILE_RAB+40		: 1985
FA	A3	22	A2	B0	0007B		MOVW	INFILE_RAB+34, OUTFILE_RAB+34		: 1989
00000000G	00	D8	A3	9F	00080		PUSHAB	OUTFILE_RAB		: 1990
	50		01	FB	00083		CALLS	#1, SYSS\$WRITE		: 1995
	50	22	A2	3C	0008A		MOVZWL	INFILE_RAB+34, R0		: 1996
		14	A5	C0	0008E		ADDL2	BLOCK_SIZE, R0		
	50		50	D7	00092		DECL	R0		
	65	14	A5	C6	00094		DIVL2	BLOCK_SIZE, R0		
			50	C0	00098		ADDL2	R0, BLOCK_COUNT		
0001827A	8F	08	B0	11	0009B		BRB	3\$		
			A2	D1	0009D	5\$:	CMPL	INFILE_RAB+8, #98938		
0000V	CF		09	13	000A5		BEQL	7\$		
	50		00	FB	000A7		CALLS	#0, IN_READ_ERROR		
			02	D0	000AC	6\$:	MOVL	#2, R0		
				04	000AF		RET			
	50		01	D0	000B0	7\$:	MOVL	#1, R0		
			04	000B3			RET			

; Routine Size: 180 bytes, Routine Base: COPY\$COPY_FILE + 0000

; 1471 1997 1 PSECT CODE = \$CODE\$;

! Resume the default PSECT (see previous routine).


```
1473 1998 1 ROUTINE CLOSE_INFILE : NOVALUE = ! Close the current input file
1474 1999 1
1475 2000 1 ++
1476 2001 1 FUNCTIONAL DESCRIPTION:
1477 2002 1
1478 2003 1 This routine closes the current input file.
1479 2004 1
1480 2005 1 FORMAL PARAMETERS:
1481 2006 1
1482 2007 1 None
1483 2008 1
1484 2009 1 IMPLICIT INPUTS:
1485 2010 1
1486 2011 1 INFILE_OPEN - Input file open indicator
1487 2012 1 INFILE_FAB - Input file FAB
1488 2013 1
1489 2014 1 IMPLICIT OUTPUTS:
1490 2015 1
1491 2016 1 INFILE_OPEN - Set to indicate that the input file is not open
1492 2017 1 INFILE_FAB - Input file FAB closed
1493 2018 1
1494 2019 1 ROUTINE VALUE:
1495 2020 1
1496 2021 1 None
1497 2022 1
1498 2023 1 SIDE EFFECTS:
1499 2024 1
1500 2025 1 None
1501 2026 1
1502 2027 1 --
1503 2028 1
1504 2029 2 BEGIN
1505 2030 2
1506 2031 2
1507 2032 2 Return to the caller if the input file is not open.
1508 2033 2
1509 2034 2
1510 2035 2 IF NOT .INFILE_OPEN
1511 2036 2 THEN
1512 2037 2 RETURN;
1513 2038 2
1514 2039 2 INFILE_OPEN = NO;
1515 2040 2
1516 2041 2
1517 2042 2 Close the input file.
1518 2043 2
1519 2044 2
1520 2045 2 P SRMS_CLOSE( FAB = INFILE_FAB,
1521 2046 2 ERR = IN_CLOSE_ERROR );
1522 2047 2
1523 2048 2
1524 2049 2 Return to the caller.
1525 2050 2
1526 2051 2
1527 2052 2 RETURN;
1528 2053 2
1529 2054 1 END;
! If the input file is not open,
! return to the caller.
! Otherwise, turn off the open indicator.
! Close the input file FAB,
! specifying an error action routine.
! Return to the caller.
```

```

                                .EXTRN  SYS$CLOSE
                                .PSECT  $CODE$,NOWRT,2
                                0000 00000 CLOSE_INFILE:
                                .WORD    Save nothing
14      0000'  CF              02  E1 00002      BBC      #2, COPY$SEM_STATUS+2, 1$      : 1998
      0000'  CF              04  8A 00008      BICB2     #4, COPY$SEM_STATUS+2      : 2035
                                0000V  CF  9F 0000D      PUSHAB  IN_CLOSE_ERROR      : 2039
                                0000G  CF  9F 00011      PUSHAB  INFILE_FAB      : 2046
      00000000G  00          02  FB 00015      CALLS    #2, SYS$CLOSE      :
                                04  0001C 1$:      RET      : 2054

```

; Routine Size: 29 bytes, Routine Base: \$CODE\$ + 065B


```
1531 2055 1 GLOBAL ROUTINE COPY$CLOSE_OUTF : NOVALUE = ! Close the current output file
1532 2056 1
1533 2057 1 ++
1534 2058 1 FUNCTIONAL DESCRIPTION:
1535 2059 1
1536 2060 1 This routine closes the current output file.
1537 2061 1
1538 2062 1 FORMAL PARAMETERS:
1539 2063 1
1540 2064 1 None
1541 2065 1
1542 2066 1 IMPLICIT INPUTS:
1543 2067 1
1544 2068 1 OUTFILE_OPEN - Output file open indicator
1545 2069 1 OUTFILE_FAB - Output file FAB
1546 2070 1 TRUNCATE_BIT in COPY$CLI_STATUS if /TRUNCATE was specified.
1547 2071 1
1548 2072 1 IMPLICIT OUTPUTS:
1549 2073 1
1550 2074 1 OUTFILE_OPEN - Set to indicate that the output file is not open
1551 2075 1 OUTFILE_FAB - Output file FAB closed
1552 2076 1
1553 2077 1 ROUTINE VALUE:
1554 2078 1
1555 2079 1 None
1556 2080 1
1557 2081 1 SIDE EFFECTS:
1558 2082 1
1559 2083 1 File is truncated if /TRUNCATE was specified.
1560 2084 1
1561 2085 1 --
1562 2086 1
1563 2087 2 BEGIN
1564 2088 2
1565 2089 2
1566 2090 2 Return to the caller if the output file is not open.
1567 2091 2
1568 2092 2
1569 2093 2 IF NOT .OUTFILE_OPEN ! If the output file is not open,
1570 2094 2 THEN ! return a success code to the caller.
1571 2095 2 RETURN OK;
1572 2096 2
1573 2097 2 OUTFILE_OPEN = NO; ! Otherwise, turn off the open indicator.
1574 2098 2
1575 2099 2
1576 2100 2 Close the output file.
1577 2101 2
1578 2102 2
1579 2103 2 $RMS_CLOSE( FAB = OUTFILE_FAB, ! Close the output file FAB,
1580 2104 2 ERR = COPY$CLOSE_ERR ); ! specifying an error action routine.
1581 2105 2
1582 2106 2
1583 2107 2 Reset the incompatible messages flag to FALSE for the next output file. This message
1584 2108 2 indicates whether an incompatible attributes has been output for an output file.
1585 2109 2
1586 2110 2
1587 2111 2 COPY$B_INCOMPAT = FALSE; ! Reset incompatible flag
```

CGPYMAIN
V04-000

D 10
15-Sep-1984 23:39:26
14-Sep-1984 12:14:18

VAX-11 Bliss-32 V4.0-742
[COPY.SRC]COPYMAIN.B32;1

Page 44
(11)

```
: 1588      2112  2
: 1589      2113  2
: 1590      2114  2
: 1591      2115  2
: 1592      2116  2
: 1593      2117  2
: 1594      2118  2
: 1595      2119  1

Return to the caller.

RETURN;

END;
```

! Return to the caller.

```
18      0000'  CF      0000 00000
      0000'  CF      01  E1 00002
      0000V  CF      02  8A 00008
      0000G  CF      02  9F 0000D
      00000000G 00      02  9F 00011
      0000'  CF      02  FB 00015
      0000'  CF      02  94 0001C
      04 00020 1$:
```

```
.ENTRY COPY$CLOSE_OUTF, Save nothing
BBC      #1, COPY$SEM_STATUS+2, 1$
BICB2    #2, COPY$SEM_STATUS+2
PUSHAB   COPY$OCLOSE_ERR
PUSHAB   OUTFILE_FAB
CALLS    #2, SYS$CLOSE
CLRB     COPY$B_INCOMPAT
RET
```

```
: 2055
: 2093
: 2097
: 2104
:
: 2111
: 2119
```

; Routine Size: 33 bytes, Routine Base: \$CODE\$ + 0678


```
1597 2120 1 ROUTINE BYPASS_CONCAT = ! Bypass concatenated input files
1598 2121 1
1599 2122 1 ++
1600 2123 1 FUNCTIONAL DESCRIPTION:
1601 2124 1
1602 2125 1 This routine scans past concatenated input file-specifications.
1603 2126 1
1604 2127 1 FORMAL PARAMETERS:
1605 2128 1
1606 2129 1 None
1607 2130 1
1608 2131 1 IMPLICIT INPUTS:
1609 2132 1
1610 2133 1 Bits in the status words COPY$CLI_STATUS and COPY$SEM_STATUS:
1611 2134 1
1612 2135 1 APPEND_COMMAND - APPEND command indicator
1613 2136 1 CONCAT_FOLLOWS - concatenation is occurring
1614 2137 1
1615 2138 1 INFILE_DESC - Input file request descriptor
1616 2139 1 CLEANUP_DESC - Input file cleanup request descriptor
1617 2140 1
1618 2141 1 IMPLICIT OUTPUTS:
1619 2142 1
1620 2143 1 CONCAT_FOLLOWS - Concatenation active indicator turned off
1621 2144 1 WILDCARD_ACTIVE - Wildcard active indicator turned off
1622 2145 1
1623 2146 1 ROUTINE VALUE:
1624 2147 1
1625 2148 1 None
1626 2149 1
1627 2150 1 SIDE EFFECTS:
1628 2151 1
1629 2152 1 INFILE_DESC - Input file request descriptor filled in by the CLI
1630 2153 1 CLEANUP_DESC - Input file cleanup request descriptor filled in by the CLI
1631 2154 1
1632 2155 1 --
1633 2156 1
1634 2157 2 BEGIN
1635 2158 2
1636 2159 2 LOCAL
1637 2160 2 DESC : $BBLOCK[ DSC$C_S_BLN ] ! Descriptor for input file name
1638 2161 2 ;
1639 2162 2
1640 2163 2
1641 2164 2 Initialize descriptor.
1642 2165 2
1643 2166 2 CH$FILL( 0, DSC$C_S_BLN, DESC);
1644 2167 2 DESC[ DSC$B_CLASS ] = DSC$K_CLASS_D;
1645 2168 2
1646 2169 2
1647 2170 2 Return to the caller if input concatenation is not active.
1648 2171 2
1649 2172 2
1650 2173 2 IF NOT .APPEND_COMMAND AND ! If this is a COPY command
1651 2174 2 NOT .CONCAT_FOLLOWS ! and no input concatenation is active,
1652 2175 2 THEN !
1653 2176 2 RETURN false ! then return to the caller.
```

```

: 1654      2177 2 ELSE
: 1655      2178 2     CONCAT_FOLLOWS = NO;
: 1656      2179 2
: 1657      2180 2
: 1658      2181 2
: 1659      2182 2
: 1660      2183 2
: 1661      2184 2
: 1662      2185 2
: 1663      2186 2
: 1664      2187 2
: 1665      2188 2
: 1666      2189 2
: 1667      2190 2
: 1668      2191 2
: 1669      2192 2
: 1670      2193 2
: 1671      2194 2
: 1672      2195 2
: 1673      2196 2
: 1674      2197 2
: 1675      2198 2
: 1676      2199 2
: 1677      2200 2
: 1678      2201 2
: 1679      2202 2
: 1680      2203 2
: 1681      2204 2
: 1682      2205 2
: 1683      2206 2
: 1684      2207 2
: 1685      2208 2
: 1686      2209 2
: 1687      2210 2
: 1688      2211 2
: 1689      2212 2
: 1690      2213 1

ELSE
    CONCAT_FOLLOWS = NO;
    ! Otherwise, turn off the concatenation indicator.

    Report an wildcard specification which has not been completely processed.

    IF .WILDCARD_ACTIVE
    THEN
        BEGIN
            WILDCARD_ACTIVE = NO;
            ! If a wildcard spec is currently active,
            ! turn off the wildcard indicator.

            IF .INFILE_NAM_BLK[NAM$B_RSL] NEQ 0
            THEN
                BEGIN
                    INFILE_NAM_BLK[NAM$B_RSL] = 0;
                    REPORT_BYPASS( MSG$_NOTCMPLT );
                    ! If the wildcard spec is partially processed,
                    ! discard the current resultant name string,
                    ! and report the bypass wildcard spec.
                END;
            END;

        Scan past any concatenated input file-specifications.

        WHILE CLISGET_VALUE( $DESCRIPTOR('INFILE'), DESC ) DO
            IF COPY$FIND_INPUT_FILE( DESC )
            THEN
                ! Parse the input file-specification.
                REPORT_BYPASS( MSG$_NOTCOPIED );
                ! Report that the file was not processed.

        Return to the caller.

        RETURN true;
        ! Return to the caller.

    END;
END;
```

```

                                .PSECT $SPLIT$,NOWRT,NOEXE,2
                                45 4C 49 46 4E 49 0004C P.AAH: .ASCII \INFILE\
                                00052 P.AAG: .BLKB 2
                                00000006 00054 P.AAG: .LONG 6
                                00000000 00058 .ADDRESS P.AAH

                                .PSECT $CODE$,NOWRT,2
                                003C 00000 BYPASS_CONCAT:
                                08 C2 00002 .WORD Save R2,R3,R4,R5
                                00 2C 00005 .SUBL2 #8, SP
                                6E 0000A .MOVC5 #0, (SP), #0, #8, DESC
                                03 AE 02 90 0000B .MOVB #2, DESC+3

                                : 2120
                                : 2166
                                : 2167
```


49	0000'	06	0000'	CF	E8	0000F	BLBS	COPY\$CLI STATUS, 1\$:	2173
	0000'	CF		03	E1	00014	BBC	#3, COPY\$SEM_STATUS+2, 5\$:	2174
19	0000'	CF		08	8A	0001A	BICB2	#8, COPY\$SEM_STATUS+2	:	2178
	0000'	CF		05	E1	0001F	BBC	#5, COPY\$SEM_STATUS+2, 3\$:	2184
	0000'	CF		20	8A	00025	BICB2	#32, COPY\$SEM_STATUS+2	:	2187
			0000G	CF	95	0002A	TSTB	INFILE_NAM_BLR+3	:	2189
				0E	13	0002E	BEQL	3\$:	
			0000G	CF	94	00030	CLRB	INFILE_NAM_BLK+3	:	2192
		7E	11C0	8F	3C	00034	MOVZWL	#4544, -(SP)	:	2193
	0000V	CF		01	FB	00039	CALLS	#1, REPORT_BYPASS	:	
				5E	DD	0003E	PUSHL	SP	:	2201
			0000'	CF	9F	00040	PUSHAB	P.AAG	:	
	00000000G	00		02	FB	00044	CALLS	#2, CLISGET_VALUE	:	
		11		50	E9	0004B	BLBC	R0, 4\$:	
				5E	DD	0004E	PUSHL	SP	:	2203
	0000V	CF		01	FB	00050	CALLS	#1, COPY\$FIND_INPUT_FILE	:	
		E6		50	E9	00055	BLBC	R0, 3\$:	
		7E	11B8	8F	3C	00058	MOVZWL	#4536, -(SP)	:	2205
				DA	11	0005D	BRB	2\$:	
		50		01	D0	0005F	MOVL	#1, R0	:	2211
					04	00062	RET		:	
				50	D4	00063	CLRL	R0	:	2213
					04	00065	RET		:	

; Routine Size: 102 bytes, Routine Base: \$CODE\$ + 0699

```
1692 2214 1 GLOBAL ROUTINE COPY$FIND_INPUT_FILE ( INFILE_DESC : REF $BBLOCK ) =
1693 2215 1
1694 2216 1 ++
1695 2217 1 FUNCTIONAL DESCRIPTION:
1696 2218 1
1697 2219 1     This routine calls RMS to parse an input file-specification.
1698 2220 1
1699 2221 1 FORMAL PARAMETERS:
1700 2222 1
1701 2223 1     None
1702 2224 1
1703 2225 1 IMPLICIT INPUTS:
1704 2226 1
1705 2227 1     INFILE_FAB - Input file FAB
1706 2228 1     INFILE_NAM_BLK - Input file name block
1707 2229 1
1708 2230 1 IMPLICIT OUTPUTS:
1709 2231 1
1710 2232 1     INFILE_FAB - FNA and FNS fields filled in.
1711 2233 1
1712 2234 1 COMPLETION CODES:
1713 2235 1
1714 2236 1     OK = Successful parse
1715 2237 1     ERROR = Error from RMS parse
1716 2238 1
1717 2239 1 SIDE EFFECTS:
1718 2240 1
1719 2241 1     None
1720 2242 1
1721 2243 1 --
1722 2244 1
1723 2245 2 BEGIN
1724 2246 2
1725 2247 2 OWN
1726 2248 2     find_file_context : INITIAL(0);
1727 2249 2
1728 2250 2 LOCAL
1729 2251 2     resultant_name_desc : $BBLOCK[ DSC$C_S_BLN ],
1730 2252 2     find_file_name : REF $BBLOCK[],
1731 2253 2     status;
1732 2254 2
1733 2255 2 BIND
1734 2256 2     find_file_fab = find_file_context : REF $BBLOCK[];
1735 2257 2
1736 2258 2
1737 2259 2
1738 2260 2     ! Initialize the descriptor for the resultant name string.
1739 2261 2
1740 2262 2     CH$FILL( 0, DSC$C_S_BLN, resultant_name_desc );
1741 2263 2     resultant_name_desc[ DSC$B_CLASS ] = DSC$K_CLASS_D;
1742 2264 2
1743 2265 2
1744 2266 2     ! Zero the expanded name string length, so that COPY$INOPN_ERR can determine
1745 2267 2     ! if the expanded string was created by RMS or not.
1746 2268 2
1747 2269 2     INFILE_NAM_BLK[NAM$B_ESL] = 0;
1748 2270 2
```



```

1 Call LIB$FIND_FILE to locate the file. If something other than success is
2 returned, then check to see if it is something we care about. NMF, no
3 more files doesn't matter, for any other error condition COPY should
4 issue a message.
5
6 IF NOT ( status = LIB$FIND_FILE( .infile_desc, resultant_name_desc,
7     find_file_context, 0, 0, 0, %ref(2)))
8 THEN
9     BEGIN
10     IF .status NEQ RMSS_NMF
11     THEN
12         COPY$INOPN_ERR( .find_file_context );
13     RETURN .status;
14     END;
15
16 Copy the information from the resultant name string descriptor into
17 the FAB's file name and the NAM block's resultant name descriptor fields.
18 Also, copy the file name status bits into the input file's NAM block and
19 copy the FID of the found file into the input file's name block. (COPY
20 does an open by name block. This guarantees that the correct file is
21 opened.). Then return to the caller.
22
23 infile_fab[ FAB$FNA ]      = .resultant_name_desc[ DSC$A_POINTER ];
24 infile_fab[ FAB$FNS ]      = .resultant_name_desc[ DSC$W_LENGTH ];
25 infile_nam_blk[ NAM$B_RSL ] = .resultant_name_desc[ DSC$W_LENGTH ];
26 in_name_desc[ 0 ]          = .infile_nam_blk[ NAM$B_RSL ];
27 CH$MOVE( .infile_fab[ FAB$FNS ], .infile_fab[ FAB$FNA ], .in_name_desc[ 1 ] );
28
29 find_file_nam = .find_file_fab[ FAB$FNA ];
30 infile_nam_blk[ NAM$F_FNB ] = .find_file_nam[ NAM$F_FNB ];
31 infile_nam_blk[ NAM$W_FID_NUM ] = .find_file_nam[ NAM$W_FID_NUM ];
32 infile_nam_blk[ NAM$W_FID_SEQ ] = .find_file_nam[ NAM$W_FID_SEQ ];
33 infile_nam_blk[ NAM$W_FID_RVN ] = .find_file_nam[ NAM$W_FID_RVN ];
34 CH$MOVE( NAM$S_DVI, find_file_nam[ NAM$S_DVI ], infile_nam_blk[ NAM$S_DVI ] );
35
36 RETURN ok;
37
38 END;

```

```

                                .PSECT  $OWNS,NOEXE,2
00000000  00000 FIND_FILE_CONTEXT:
                                .LONG    0
                                FIND_FILE_FAB=      FIND_FILE_CONTEXT

                                .PSECT  $CODE$,NOWRT,2
                                00FC 00000 .ENTRY  COPY$FIND_INPUT_FILE, Save R2,R3,R4,R5,R6,- : 2214
57 0000' CF 9E 00002 MOVAB  FIND_FILE_CONTEXT, R7

```

08	00	56	0000G	CF	9E	00007	MOVAB	INFILE_NAM_BLK+3, R6	:	
		5E		0C	C2	0000C	SUBL2	#12, SP	:	
		6E		00	2C	0000F	MOVC5	#0, (SP), #0, #8, RESULTANT_NAME_DESC	:	2262
			04	AE		00014			:	
	07	AE		02	90	00016	MOVB	#2, RESULTANT_NAME_DESC+3	:	2263
			08	A6	94	0001A	CLRB	INFILE_NAM_BLK+11	:	2269
		6E		02	D0	0001D	MOVL	#2, (SP)	:	2278
				5E	DD	00020	PUSHL	SP	:	
				7E	7C	00022	CLRQ	-(SP)	:	2277
				7E	D4	00024	CLRL	-(SP)	:	
			18	57	DD	00026	PUSHL	R7	:	
			04	AE	9F	00028	PUSHAB	RESULTANT_NAME_DESC	:	
				AC	DD	0002B	PUSHL	INFILE_DESC	:	
	00000000G	00		07	FB	0002E	CALLS	#7, LIB\$FIND_FILE	:	
		52		50	D0	00035	MOVL	R0, STATUS	:	
		14		52	E8	00038	BLBS	STATUS, 2\$:	
	000182CA	8F		52	D1	0003B	CMPL	STATUS, #99018	:	2281
				07	13	00042	BEQL	1\$:	
				67	DD	00044	PUSHL	FIND_FILE_CONTEXT	:	2283
	0000V	CF		01	FB	00046	CALLS	#1, COPY\$INOPN_ERR	:	
		50		52	D0	0004B	MOVL	STATUS, R0	:	2284
					04	0004E	RET		:	
	0000G	CF	08	AE	D0	0004F	MOVL	RESULTANT_NAME_DESC+4, INFILE_FAB+44	:	2295
	0000G	CF	04	AE	90	00055	MOVB	RESULTANT_NAME_DESC, INFILE_FAB+52	:	2296
		66	04	AE	90	0005B	MOVB	RESULTANT_NAME_DESC, INFILE_NAM_BLK+3	:	2297
	0000G	CF		66	9A	0005F	MOVZBL	INFILE_NAM_BLK+3, IN_NAME_DESC	:	2298
		50	0000G	CF	9A	00064	MOVZBL	INFILE_FAB+52, R0	:	2299
0000G	DF	0000G		50	28	00069	MOVC3	R0, @INFILE_FAB+44, @IN_NAME_DESC+4	:	
				50	67	00071	MOVL	FIND_FILE_FAB, R0	:	2302
				50	A0	00074	MOVL	40(R0), FIND_FILE_NAM	:	
		31		34	A0	00078	MOVL	52(FIND_FILE_NAM), INFILE_NAM_BLK+52	:	2303
		21		24	A0	0007D	MOVL	36(FIND_FILE_NAM), INFILE_NAM_BLK+36	:	2304
		25		28	A0	00082	MOVW	40(FIND_FILE_NAM), INFILE_NAM_BLK+40	:	2306
11	A6	14		10	B0	00087	MOVC3	#16, 20(FIND_FILE_NAM), INFILE_NAM_BLK+20	:	2307
				01	D0	0008D	MOVL	#1, R0	:	2309
				04	00090		RET		:	2311

; Routine Size: 145 bytes, Routine Base: \$CODE\$ + 06FF


```
1791 2312 1 GLOBAL ROUTINE COPY$CALC_ALQ = ! Allocation quantity calculation routine
1792 2313 1
1793 2314 1 !++
1794 2315 1 FUNCTIONAL DESCRIPTION:
1795 2316 1
1796 2317 1 This routine determines the output file allocation/extension quantity.
1797 2318 1
1798 2319 1 FORMAL PARAMETERS:
1799 2320 1
1800 2321 1 None
1801 2322 1
1802 2323 1 IMPLICIT INPUTS:
1803 2324 1
1804 2325 1 EXTEND_OUTFILE - Output file extension indicator
1805 2326 1 INFILE_FAB - Input file FAB
1806 2327 1 INFILE_XABALL - Input file allocation XAB
1807 2328 1 INFILE_XABFHC - Input file header characteristics XAB
1808 2329 1 COPY$CLI_STATUS bit TRUNCATE_BIT
1809 2330 1 means /TRUNCATE was specified
1810 2331 1 ALLOC_VALUE - contains a value if /ALLOCATION was specified.
1811 2332 1 COPY_TRUN_QUAL - CLI data block for the truncate qualifier; the
1812 2333 1 "explicit bit" will be set if /NOTRUNCATE was
1813 2334 1 specified on the input line
1814 2335 1
1815 2336 1 IMPLICIT OUTPUTS:
1816 2337 1
1817 2338 1 None
1818 2339 1
1819 2340 1 ROUTINE VALUE:
1820 2341 1
1821 2342 1 Size of the input file (i.e., number of blocks)
1822 2343 1
1823 2344 1 SIDE EFFECTS:
1824 2345 1
1825 2346 1 None
1826 2347 1
1827 2348 1 --
1828 2349 1
1829 2350 2 BEGIN
1830 2351 2
1831 2352 2 LOCAL
1832 2353 2 ALQ; ! Temporary allocation quantity
1833 2354 2
1834 2355 2
1835 2356 2 Return a zero allocation size if the output file is not a disk and it is being extended.
1836 2357 2
1837 2358 2
1838 2359 2 IF .EXTEND_OUTFILE AND ! If the output file is being extended
1839 2360 2 (NOT .OUTFILE_FAB[$FAB_DEV(FOD)] OR ! and it is not a file structured device
1840 2361 2 .OUTFILE_FAB[$FAB_DEV(SQD)]) ! or it is a magnetic tape,
1841 2362 2 THEN !
1842 2363 2 RETURN 0; ! return a zero allocation size to the caller.
1843 2364 2
1844 2365 2
1845 2366 2 Determine the output file allocation size from the size and organization of the input file.
1846 2367 2
1847 2368 2
```

```

: 1848      2369 2
: 1849      2370
: 1850      2371
: 1851      2372
: 1852      2373
: 1853      2374
: 1854      2375
: 1855      2376
: 1856      2377
: 1857      2378
: 1858      2379
: 1859      2380
: 1860      2381
: 1861      2382
: 1862      2383
: 1863      2384
: 1864      2385
: 1865      2386
: 1866      2387
: 1867      2388
: 1868      2389
: 1869      2390
: 1870      2391
: 1871      2392
: 1872      2393
: 1873      2394
: 1874      2395
: 1875      2396
: 1876      2397
: 1877      2398
: 1878      2399
: 1879      2400
: 1880      2401
: 1881      2402
: 1882      2403
: 1883      2404
: 1884      2405
: 1885      2406
: 1886      2407
: 1887      2408
: 1888      2409
: 1889      2410
: 1890      2411
: 1891      2412
: 1892      2413
: 1893      2414
: 1894      2415
: 1895      2416
: 1896      2417
: 1897      2418
: 1898      2419
: 1899      2420 1

IF NOT .INFILE FAB[$FAB_DEV(FOD)] OR
      .INFILE_FAB[$FAB_DEV(SQD)]
THEN
    ALQ = DEFAULT_ALLOC
ELSE
    BEGIN
        If the input file is a non-contiguous sequential file and /NOTRUNCATE was not explicitly given
        or
        the the input file is being appened to an existing file,
        or
        if /TRUNCATE and no /ALLOCATION was given,
        the file should be truncated. Otherwise, use the allocation of the input file as the size of
        the output file.

        IF (
            (
                .INFILE_FAB[ FAB$B_ORG ] EQL FAB$C_SEQ
                AND NOT
                ( .TRUNCATE_NEGATED OR .NEG_TRUNCATE_QUAL )
            )
            AND
            ( NOT .INFILE_XABALL[ XAB$V_CTG ] OR .EXTEND_OUTFILE )
            OR
            ( (.TRUNCATE_QUAL OR .LOC_TRUNCATE_QUAL) AND .CURR_ALLOCATION_VALUE EQL 0 )
        )
        THEN
            IF .INFILE_XABFHC[XAB$W_FFB] EQL 0
            THEN
                ALQ = .INFILE_XABFHC[XAB$L_EBK] - 1
            ELSE
                ALQ = .INFILE_XABFHC[XAB$L_EBK]
            ELSE
                ALQ = .INFILE_XABFHC[XAB$L_HBK];
            END;

            IF .EXTEND_OUTFILE
            THEN
                ALQ = .OUTFILE_XABFHC[XAB$L_EBK] + .ALQ -
                    .OUTFILE_XABFHC[XAB$L_HBK];

        Return the calculated allocation (or extension) quantity to the caller.

        IF .ALQ GEQ 0
        THEN
            RETURN .ALQ
        ELSE
            RETURN 0;
        END;

        ! If the input device is not file structured
        ! or if it is a magnetic tape,
        ! assume a default input file size.

        ! calculate only enough space to hold the actual
        ! data in the input file. Note that this calculatio
        ! includes the final block only if it actually
        ! contains some data.

        ! Otherwise, pickup the actual size of the input fil

        ! If the output file is being extended,
        ! subtract the remaining output file space
        ! from the calculated extension quantity.

        ! If the calculated allocation/extension quantity
        ! is greater than or equal to zero,
        ! return that value to the caller.

        ! Otherwise, return a zero value to the caller.
```


51	0000'	CF	52	0000G	CF	0004	00000	.ENTRY	COPY\$CALC ALQ, Save R2	2312
			01		07	9E	00002	MOVAB	INFILE_XABFHC+16, R2	2359
			0C		51	EF	00007	EXTZV	#7, #1, COPY\$SEM_STATUS+2, R1	2360
			CF		06	E9	0000E	BLBC	R1, 1\$	2361
	67	0000G	CF		05	E1	00011	BBC	#6, OUTFILE_FAB+65, 11\$	2369
	61	0000G	CF		05	E0	00017	BBS	#5, OUTFILE_FAB+64, 11\$	2370
	06	0000G	CF		06	E1	0001D	BBC	#6, INFILE_FAB+65, 2\$	2372
	04	0000G	CF		05	E1	00023	BBC	#5, INFILE_FAB+64, 3\$	2386
					50	D4	00029	CLRL	ALQ	2388
					40	11	0002B	BRB	9\$	2391
				0000G	CF	95	0002D	TSTB	INFILE_FAB+29	2394
					14	12	00031	BNEQ	4\$	2396
	0E	0000'	CF		06	E0	00033	BBS	#6, COPY\$CLI_STATUS+5, 4\$	2400
			09	0000'	CF	E8	00039	BLBS	COPY\$CLI_STATUS+6, 4\$	2402
				0000G	CF	95	0003E	TSTB	INFILE_XABALL+8	2405
					15	18	00042	BGEQ	6\$	2407
			12		51	E8	00044	BLBS	R1, 6\$	2408
	06	0000'	CF		05	E0	00047	BBS	#5, COPY\$CLI_STATUS+5, 5\$	2414
				0000'	CF	95	0004D	TSTB	COPY\$CLI_STATUS+5	2420
				0000G	CF	16	00051	BGEQ	8\$	
					10	D5	00053	TSTL	CURR_ALLOCATION_VALUE	
					04	A2	00057	BNEQ	8\$	
					06	B5	00059	TSTW	INFILE_XABFHC+20	2396
					01	12	0005C	BNEQ	7\$	2398
	50		62		09	C3	0005E	SUBL3	#1, INFILE_XABFHC+16, ALQ	2400
					09	11	00062	BRB	9\$	2396
			50		62	D0	00064	MOVL	INFILE_XABFHC+16, ALQ	2402
					04	11	00067	BRB	9\$	2405
			50	FC	A2	D0	00069	MOVL	INFILE_XABFHC+12, ALQ	2407
			0C		51	E9	0006D	BLBC	R1, 10\$	2408
	51		50	0000G	CF	C1	00070	ADDL3	OUTFILE_XABFHC+16, ALQ, R1	2414
	50		51	0000G	CF	C3	00076	SUBL3	OUTFILE_XABFHC+12, R1, ALQ	2420
					02	18	0007C	BGEQ	12\$	
					50	D4	0007E	CLRL	R0	
					04	00080	12\$:	RET		

; Routine Size: 129 bytes, Routine Base: \$CODE\$ + 0790

```
: 1901      2421 1 ROUTINE REPORT_NAMES                                ! Report the results of a file copy
: 1902      2422 1      : NOVALUE =
: 1903      2423 1
: 1904      2424 1 ++
: 1905      2425 1 FUNCTIONAL DESCRIPTION:
: 1906      2426 1
: 1907      2427 1      This routine reports the results of copying a single input file
: 1908      2428 1      to the output file.
: 1909      2429 1
: 1910      2430 1 FORMAL PARAMETERS:
: 1911      2431 1
: 1912      2432 1      None
: 1913      2433 1
: 1914      2434 1 IMPLICIT INPUTS:
: 1915      2435 1
: 1916      2436 1      LOG - Indicator tested to see if activity reporting desired
: 1917      2437 1      EXTEND_OUTFILE - Indicator tested to see if input concatenation is active.
: 1918      2438 1      IN_NAME_DESC - Input file name descriptor
: 1919      2439 1      OUT_NAME_DESC - Output file name descriptor
: 1920      2440 1      BLOCK_COUNT - Number of input file blocks copied
: 1921      2441 1      RECORD_COUNT - Number of input file records copied
: 1922      2442 1      INFILE_FAB - Address of input file FAB
: 1923      2443 1
: 1924      2444 1 IMPLICIT OUTPUTS:
: 1925      2445 1
: 1926      2446 1      None
: 1927      2447 1
: 1928      2448 1 ROUTINE VALUE:
: 1929      2449 1
: 1930      2450 1      None
: 1931      2451 1
: 1932      2452 1 SIDE EFFECTS:
: 1933      2453 1
: 1934      2454 1      None
: 1935      2455 1
: 1936      2456 1 --
: 1937      2457 1
: 1938      2458 2 BEGIN
: 1939      2459 2
: 1940      2460 2 LOCAL
: 1941      2461 2      ptr,                                ! Temporary variables for character searching
: 1942      2462 2      address,
: 1943      2463 2      size;
: 1944      2464 2
: 1945      2465 2
: 1946      2466 2 Determine which message, if any, is needed.
: 1947      2467 2
: 1948      2468 2
: 1949      2469 2 IF NOT .LOG_MSG_QUAL                                ! If activity reporting is not requested,
: 1950      2470 2 THEN                                              !
: 1951      2471 2     RETURN;                                        ! return to the caller.
: 1952      2472 2
: 1953      2473 2
: 1954      2474 2 If this is a record oriented device (not network), the messages should
: 1955      2475 2 include only the device name.
: 1956      2476 2
: 1957      2477 2
```



```
1958 2478 2
1959 2479 2
1960 2480 2
1961 2481 2
1962 2482 2
1963 2483 2
1964 2484 2
1965 2485 2
1966 2486 2
1967 2487 2
1968 2488 2
1969 2489 2
1970 2490 2
1971 2491 2
1972 2492 2
1973 2493 2
1974 2494 2
1975 2495 2
1976 2496 2
1977 2497 2
1978 2498 2
1979 2499 2
1980 2500 2
1981 2501 2
1982 2502 2
1983 2503 2
1984 2504 2
1985 2505 2
1986 2506 2
1987 2507 2
1988 2508 2
1989 2509 2
1990 2510 2
1991 2511 2
1992 2512 2
1993 2513 2
1994 2514 2
1995 2515 2
1996 2516 2
1997 2517 2
1998 2518 2
1999 2519 2
2000 2520 2
2001 2521 2
2002 2522 2
2003 2523 2
2004 2524 2
2005 2525 2
2006 2526 2
2007 2527 2
2008 2528 2
2009 2529 2
2010 2530 2
2011 2531 2
2012 2532 2
2013 2533 2
2014 2534 2

IF .infile_fab [$FAB_DEV(rec)]
AND NOT .infile_fab [$FAB_DEV(net)]
THEN
BEGIN
size = .in_name_desc[0];
address = .in_name_desc[1];
ptr = CH$FIND-CH(.size,.address,':');
IF .ptr NEQ 0 ! If there is anything past the device, remove it
THEN
in_name_desc[0] = .ptr - .address + 1;
END;

IF NOT .EXTEND_OUTFILE ! Test the record mode indicator to see
! if this is the primary input file or a
! concatenated input file.

Create a "copied" message if the input file just copied was
the first file copied into the output file.

THEN
IF .BLOCK_COUNT NEQ 0 ! If the input file was copied in block mode,
THEN ! signal "file copied" with the following arguments:
PUT_MESSAGE( MSG$_COPIEDB, ! Number of message arguments
3, ! Address of input file name descriptor
IN_NAME_DESC, ! Address of output file name descriptor
OUT_NAME_DESC, ! Number of blocks copied
.BLOCK_COUNT )

ELSE ! Otherwise,
IF (.RECORD_COUNT NEQ 0) OR NOT (LIB$CHECK_DIR (INFILE_FAB)) ! If the input file is not 0 record
! is not a directory file
THEN
PUT_MESSAGE( MSG$_COPIEDR, ! signal "file copied" with the following arguments:
3, ! Number of message arguments
IN_NAME_DESC, ! Address of input file name descriptor
OUT_NAME_DESC, ! Address of output file name descriptor
.RECORD_COUNT ) ! Number of records copied

ELSE ! Otherwise, its a directory file
PUT_MESSAGE( MSG$_CREATED, ! signal "created" with the following arguments:
1, ! number of message arguments
OUT_NAME_DESC ) ! address of output file descriptor

Create an "appended" message if the input file just copied was
appended to an existing output file.

ELSE
IF .BLOCK_COUNT NEQ 0 ! If the input file was copied in block mode,
THEN ! signal "file appended" with the following argument
PUT_MESSAGE( MSG$_APPENDED, ! Number of message arguments
3, ! Address of input file name descriptor
IN_NAME_DESC, ! Address of output file name descriptor
OUT_NAME_DESC )
```



```

: 2015      2535      2      .BLOCK_COUNT )      !      Number of blocks copied
: 2016      2536      2
: 2017      2537      2      ELSE
: 2018      2538      2      PUT_MESSAGE( MSG$_APPENDED,      !      Otherwise,
: 2019      2539      2      3,      !      signal "file appended" with the following argument
: 2020      2540      2      IN_NAME_DESC,      !      Number of message arguments
: 2021      2541      2      OUT_NAME_DESC,      !      Address of input file name descriptor
: 2022      2542      2      .RECORD_COUNT );      !      Address of output file name descriptor
: 2023      2543      2      !      Number of records copied
: 2024      2544      2
: 2025      2545      2      ! Return to the caller.
: 2026      2546      2
: 2027      2547      2      RETURN;      ! Return to the caller.
: 2028      2548      2
: 2029      2549      2      END;
: 2030      2550      1
```

```

                                007C 00000 REPORT_NAMES:
                                .WORD
56 00000000G 00 9E 00002      MOVAB      Save R2,R3,R4,R5,R6      : 2421
55 0000G    CF 9E 00009      MOVAB      LIB$SIGNAL, R6
54 0000'    CF 9E 0000E      MOVAB      OUT_NAME_DESC, R5
53 0000G    CF 9E 00013      MOVAB      RECORD_COUNT, R4
01      14  A4      01  E0 00018      MOVAB      IN_NAME_DESC, R3
                                BBS      #1, COPY$CLI_STATUS, 1$      : 2469
                                04 0001D      RET
20 0000G    CF E9 0001E 1$:      BLBC      INFILE FAB+64, 3$      : 2479
1A 0000G    05 E0 00023      BBS      #5, INFILE FAB+65, 3$      : 2480
50      63 D0 00029      MOVL      IN_NAME_DESC, SIZE      : 2483
52      04  A3 D0 0002C      MOVL      IN_NAME_DESC+4, ADDRESS      : 2484
62      50  3A 3A 00030      LOCC      #58, SIZE, (ADDRESS)      : 2485
                                02 12 00034      BNEQ      2$
51      51 D4 00036      CLRL      R1
                                51 D5 00038 2$:      TSTL      PTR      : 2486
07      13 0003A      BEQL      3$
51      52 C2 0003C      SUBL2     ADDRESS, R1      : 2488
63      01  A1 9E 0003F      MOVAB      1(R1), IN_NAME_DESC
50      FC  A4 D0 00043 3$:      MOVL      BLOCK_COUNT, R0      : 2501
32      A4 95 00047      TSTB      COPY$SEM_STATUS+2      : 2492
44      19 0004A      BLSS      7$
50      D5 0004C      TSTL      R0      : 2501
0D      13 0004E      BEQL      4$
50      DD 00050      PUSHL     R0      : 2507
28      BB 00052      PUSHR     #^M<R3,R5>
03      DD 00054      PUSHL     #3
7E      1061 8F 3C 00056      MOVZWL   #4193, -(SP)
4F      11 0005B      BRB      9$
64      D5 0005D 4$:      TSTL      RECORD_COUNT      : 2510
0E      12 0005F      BNEQ      5$
00000000G 00 0000G    CF 9F 00061      PUSHAB   INFILE FAB
01      FB 00065      CALLS     #1, LIB$CHECK_DIR
50      E8 0006C      BLBS      R0, 6$
64      DD 0006F 5$:      PUSHL     RECORD_COUNT      : 2517
28      BB 00071      PUSHR     #^M<R3,R5>
```


			03	DD	00073	PUSHL	#3		
	7E	1069	8F	3C	00075	MOVZWL	#4201, -(SP)		
			30	11	0007A	BRB	9\$		
			55	DD	0007C	PUSHL	R5		2522
			01	DD	0007E	PUSHL	#1		
	7E	1073	8F	3C	00080	MOVZWL	#4211, -(SP)		
0000V	CF		01	FB	00085	CALLS	#1, COPY\$MSG_NUMBER		
			50	DD	0008A	PUSHL	R0		
	66		03	FB	0008C	CALLS	#3, LIB\$SIGNAL		
				04	0008F	RET			2501
			50	D5	00090	TSTL	R0		2529
			0D	13	00092	BEQL	8\$		
			50	DD	00094	PUSHL	R0		2535
			28	BB	00096	PUSHR	#^M<R3,R5>		
	7E	1001	03	DD	00098	PUSHL	#3		
			8F	3C	0009A	MOVZWL	#4097, -(SP)		
			0B	11	0009F	BRB	9\$		
			64	DD	000A1	PUSHL	RECORD_COUNT		2542
			28	BB	000A3	PUSHR	#^M<R3,R5>		
			03	DD	000A5	PUSHL	#3		
	7E	1009	8F	3C	000A7	MOVZWL	#4105, -(SP)		
0000V	CF		01	FB	000AC	CALLS	#1, COPY\$MSG_NUMBER		
			50	DD	000B1	PUSHL	R0		
	66		05	FB	000B3	CALLS	#5, LIB\$SIGNAL		
				04	000B6	RET			2550

; Routine Size: 183 bytes, Routine Base: \$CODE\$ + 0811

```
2032 2551 1 ROUTINE REPORT_BYPASS (          ! Report the bypassing of an input file
2033 2552 1          NUMBER )                ! Error number
2034 2553 1          : NOVALUE =
2035 2554 1
2036 2555 1 ++
2037 2556 1 FUNCTIONAL DESCRIPTION:
2038 2557 1
2039 2558 1     This routine reports the name of an input file which has been bypassed.
2040 2559 1
2041 2560 1 FORMAL PARAMETERS:
2042 2561 1
2043 2562 1     NUMBER.rlu.v - Error number
2044 2563 1
2045 2564 1 IMPLICIT INPUTS:
2046 2565 1
2047 2566 1     INFILE_NAM_BLK - Input file name block
2048 2567 1     INFILE_NAME - Input file resultant name
2049 2568 1     INFILE_XNAME - Input file expanded name
2050 2569 1
2051 2570 1 IMPLICIT OUTPUTS:
2052 2571 1
2053 2572 1     None
2054 2573 1
2055 2574 1 ROUTINE VALUE:
2056 2575 1
2057 2576 1     None
2058 2577 1
2059 2578 1 SIDE EFFECTS:
2060 2579 1
2061 2580 1     None
2062 2581 1
2063 2582 1 --
2064 2583 1
2065 2584 2 BEGIN
2066 2585 2
2067 2586 2 LOCAL
2068 2587 2     NAME_DESC : VECTOR[2];          ! Input file name descriptor
2069 2588 2
2070 2589 2
2071 2590 2 Setup the input file name descriptor.
2072 2591 2
2073 2592 2
2074 2593 2 IF .INFILE_NAM_BLK[NAM$B_RSL] NEQ 0      ! If RMS has setup a resultant name string,
2075 2594 2 THEN
2076 2595 3 BEGIN
2077 2596 3     NAME_DESC[0] = .INFILE_NAM_BLK[NAM$B_RSL];
2078 2597 3     NAME_DESC[1] = INFILE_NAME;
2079 2598 3 END
2080 2599 2 ELSE
2081 2600 3 BEGIN
2082 2601 3     NAME_DESC[0] = .INFILE_NAM_BLK[NAM$B_ESL];
2083 2602 3     NAME_DESC[1] = INFILE_XNAME;
2084 2603 3 END;
2085 2604 2
2086 2605 2
2087 2606 2 Report the name of the input file which is being bypassed.
2088 2607 2
```



```
: 2089      2608 2
: 2090      2609 2      PUT_MESSAGEX( .NUMBER, 1, NAME_DESC );      ! Report the name of the input file.
: 2091      2610 2
: 2092      2611 2
: 2093      2612 2      Return to the caller.
: 2094      2613 2
: 2095      2614 2
: 2096      2615 2      RETURN;      ! Return to the caller.
: 2097      2616 2
: 2098      2617 1      END;
```

```
                                0004 00000 REPORT_BYPASS:
                                .WORD      Save R2
                                52      0000V CF 9E 00002      MOVAB      COPY$MSG_NUMBER, R2      : 2551
                                5E      08 C2 00007      SUBL2      #8, SP
                                50      0000G CF 9A 0000A      MOVZBL     INFILE_NAM_BLK+3, R0      : 2593
                                0B 13 0000F      BEQL      1$
                                04 6E      0000G 50 D0 00011      MOVL      R0, NAME_DESC      : 2596
                                AE      CF 9E 00014      MOVAB      INFILE_NAME, NAME_DESC+4      : 2597
                                04 6E      0000G 0B 11 0001A      BRB      2$
                                AE      CF 9A 0001C 1$:      MOVZBL     INFILE_NAM_BLK+11, NAME_DESC      : 2601
                                04 0000G CF 9E 00021      MOVAB      INFILE_XNAME, NAME_DESC+4      : 2602
                                04      AC DD 00027 2$:      PUSHL     NUMBER      : 2609
                                62      01 FB 0002A      CALLS     #1, COPY$MSG_NUMBER
                                50      01 7A 0002D      EMUL      #1, R0, #0, =(SP)
                                8E      08 7B 00032      EDIV      #8, (SP)+, R0, R0
                                04      50 D1 00037      CMPL      R0, #4
                                14 13 0003A      BEQL      3$
                                5E DD 0003C      PUSHL     SP
                                01 DD 0003E      PUSHL     #1
                                04 AC DD 00040      PUSHL     NUMBER
                                62      01 FB 00043      CALLS     #1, COPY$MSG_NUMBER
                                00000000G 00 50 DD 00046      PUSHL     R0
                                03 FB 00048      CALLS     #3, LIB$SIGNAL
                                04 0004F      RET
                                5E DD 00050 3$:      PUSHL     SP
                                01 DD 00052      PUSHL     #1
                                04 AC DD 00054      PUSHL     NUMBER
                                62      01 FB 00057      CALLS     #1, COPY$MSG_NUMBER
                                00000000G 00 50 DD 0005A      PUSHL     R0
                                03 FB 0005C      CALLS     #3, LIB$STOP
                                04 00063      RET      : 2617
```

; Routine Size: 100 bytes, Routine Base: \$CODE\$ + 08C8

```
2100 2618 1 GLOBAL ROUTINE COPY$LOG_MSG (      ! Signal a COPY message
2101 2619 1     NUMBER )                        ! Error number
2102 2620 1     : NOVALUE =
2103 2621 1
2104 2622 1 ++
2105 2623 1 FUNCTIONAL DESCRIPTION:
2106 2624 1
2107 2625 1     This routine sends an informational message to the user if
2108 2626 1     activity reporting has been requested.
2109 2627 1
2110 2628 1 FORMAL PARAMETERS:
2111 2629 1
2112 2630 1     NUMBER.rlu.v - error number
2113 2631 1
2114 2632 1 IMPLICIT INPUTS:
2115 2633 1
2116 2634 1     LOG_MSG - Activity reporting indicator
2117 2635 1     OUTFILE_COUNT - Number of output files created
2118 2636 1     OUT_NAME_DESC - Output file name descriptor
2119 2637 1
2120 2638 1 IMPLICIT OUTPUTS:
2121 2639 1
2122 2640 1     None
2123 2641 1
2124 2642 1 ROUTINE VALUE:
2125 2643 1
2126 2644 1     None
2127 2645 1
2128 2646 1 SIDE EFFECTS:
2129 2647 1
2130 2648 1     None
2131 2649 1
2132 2650 1 --
2133 2651 1
2134 2652 2 BEGIN
2135 2653 2
2136 2654 2
2137 2655 2 Return to the caller if activity reporting has not been requested.
2138 2656 2
2139 2657 2
2140 2658 2 IF NOT .LOG_MSG_QUAL      ! If activity reporting is not requested,
2141 2659 2 THEN                !
2142 2660 2     RETURN;         ! return to the caller.
2143 2661 2
2144 2662 2
2145 2663 2 Call FAO to format the error message in the message buffer.
2146 2664 2
2147 2665 2
2148 2666 2 SELECTONE .NUMBER OF      ! Select error message processing based
2149 2667 2 SET                ! on the actual error number.
2150 2668 2
2151 2669 2 [MSG$ NEWFILES]:
2152 2670 2     IF .OUTFILE_COUNT GEQU 2      ! If at least 2 files was created,
2153 2671 2     THEN
2154 2672 2         PUT_MESSAGE( MSG$ NEWFILES,    ! signal "<number> files created" with the following
2155 2673 2             1,                          ! number of message arguments
2156 2674 2             .OUTFILE_COUNT );        ! number of output files created
```



```

: 2157      2675 2
: 2158      2676 2
: 2159      2677 2
: 2160      2678 2
: 2161      2679 2
: 2162      2680 2
: 2163      2681 2
: 2164      2682 2
: 2165      2683 2
: 2166      2684 2
: 2167      2685 2
: 2168      2686 2
: 2169      2687 2
: 2170      2688 2
: 2171      2689 2
: 2172      2690 2
: 2173      2691 1

P      [MSG$ REPLACED, MSG$ OVERLAY, MSG$_CREATED]:
P      PUT_MESSAGEX( .NUMBER,
      1,
      OUT_NAME_DESC );
      ! signal the message with the following arguments:
      !   number of message arguments
      !   address of the output name descriptor

      [OTHERWISE]:
      PUT_MESSAGEX( .NUMBER );
      ! Signal the appropriate message.

      TES;

      ! Return to the caller.

      RETURN;
      ! Return to the caller.

      END;

```

```

      01      0000'      55      00000000G      00      003C      00000
      54      00000000G      00      9E      00002
      53      0000V      CF      9E      00009
      01      0000'      CF      9E      00010
      52      04      AC      D0      0001C      1$:
      00001091      8F      52      D1      00020
      02      0000'      15      12      00027
      CF      D1      00029
      01      1E      0002E
      04      00030
      0000'      CF      DD      00031      2$:
      01      DD      00035
      7E      1091      8F      3C      00037
      37      11      0003C
      00001073      8F      52      D1      0003E      3$:
      12      13      00045
      000010AB      8F      52      D1      00047
      09      13      0004E
      000010BB      8F      52      D1      00050
      36      12      00057
      52      DD      00059      4$:
      01      FB      0005B
      7E      00      01      7A      0005E
      50      08      7B      00063
      8E      50      D1      00068
      04      11      13      0006B
      0000G      CF      9F      0006D
      01      DD      00071
      52      DD      00073
      63      01      FB      00075      5$:
      50      DD      00078
      64      03      FB      0007A
      04      0007D

      .ENTRY      COPY$LOG_MSG, Save R2,R3,R4,R5
      MOVAB      LIB$STOP, R5
      MOVAB      LIB$SIGNAL, R4
      MOVAB      COPY$MSG_NUMBER, R3
      BBS      #1, COPY$CLI_STATUS, 1$
      RET
      MOVL      NUMBER, R2
      CMPL      R2, #4241
      BNEQ      3$
      CMPL      OUTFILE_COUNT, #2
      BGEQU      2$
      RET
      PUSHL      OUTFILE_COUNT
      PUSHL      #1
      MOVZWL      #4241, -(SP)
      BRB      5$
      CMPL      R2, #4211
      BEQL      4$
      CMPL      R2, #4267
      BEQL      4$
      CMPL      R2, #4283
      BNEQ      7$
      PUSHL      R2
      CALLS      #1, COPY$MSG_NUMBER
      EMUL      #1, R0, #0, -(SP)
      EDIV      #8, (SP)+, R0, R0
      CMPL      R0, #4
      BEQL      6$
      PUSHAB      OUT_NAME_DESC
      PUSHL      #1
      PUSHL      R2
      CALLS      #1, COPY$MSG_NUMBER
      PUSHL      R0
      CALLS      #3, LIB$SIGNAL
      RET

```

7E
50

00
50

```

0000G CF 9F 0007E 6$: PUSHAB OUT_NAME_DESC
01 DD 00082 PUSHL #1
52 DD 00084 PUSHL R2
63 01 FB 00086 CALLS #1, COPY$MSG_NUMBER
50 DD 00089 PUSHL R0
65 03 FB 0008B CALLS #3, LIB$STOP
04 0008E RET
52 DD 0008F 7$: PUSHL R2
63 01 FB 00091 CALLS #1, COPY$MSG_NUMBER
50 01 7A 00094 EMUL #1, R0, #0, =(SP)
8E 08 7B 00099 EDIV #8, (SP)+, R0, R0
04 50 D1 0009E CMPL R0, #4
0B 13 000A1 BEQL 8$
52 DD 000A3 PUSHL R2
63 01 FB 000A5 CALLS #1, COPY$MSG_NUMBER
50 DD 000A8 PUSHL R0
64 01 FB 000AA CALLS #1, LIB$SIGNAL
04 000AD RET
52 DD 000AE 8$: PUSHL R2
63 01 FB 000B0 CALLS #1, COPY$MSG_NUMBER
50 DD 000B3 PUSHL R0
65 01 FB 000B5 CALLS #1, LIB$STOP
04 000B8 RET

```

2682

2691

; Routine Size: 185 bytes, Routine Base: \$CODE\$ + 092C


```
2175 2692 1 GLOBAL ROUTINE COPY$INOPN ERR (      ! RMS input open error action routine
2176 2693 1      FAB_RAB_ADDRESS )                ! Address of associated FAB or RAB
2177 2694 1      : NOVALUE =
2178 2695 1
2179 2696 1 ++
2180 2697 1 FUNCTIONAL DESCRIPTION:
2181 2698 1
2182 2699 1      This RMS error action routine sends an input open error message to the user.
2183 2700 1
2184 2701 1 FORMAL PARAMETERS:
2185 2702 1
2186 2703 1      FAB_RAB_ADDRESS.ra.v - Address of the associated FAB or RAB
2187 2704 1
2188 2705 1 IMPLICIT INPUTS:
2189 2706 1
2190 2707 1      Input file name block
2191 2708 1      Input file name after open
2192 2709 1      Input file name before open
2193 2710 1      Input file cli descriptor
2194 2711 1
2195 2712 1 IMPLICIT OUTPUTS:
2196 2713 1
2197 2714 1      None
2198 2715 1
2199 2716 1 ROUTINE VALUE:
2200 2717 1
2201 2718 1      None
2202 2719 1
2203 2720 1 SIDE EFFECTS:
2204 2721 1
2205 2722 1      None
2206 2723 1
2207 2724 1 --
2208 2725 1
2209 2726 2 BEGIN
2210 2727 2
2211 2728 2 BIND
2212 2729 2      FAB_RAB = .FAB_RAB_ADDRESS : BLOCK[,BYTE];      ! Redefine routine parameter.
2213 2730 2
2214 2731 2 LOCAL
2215 2732 2      MESSAGE_ID,      ! Local message identifier
2216 2733 2      NAM_BLK : REF $BBLOCK[,      ! Pointer to NAM block
2217 2734 2      NAME_DESC : VECTOR[2];      ! Input file name descriptor
2218 2735 2
2219 2736 2
2220 2737 2 Fillin the file name descriptor with the most complete name possible.
2221 2738 2
2222 2739 2
2223 2740 2      NAM_BLK = .FAB_RAB[FAB$SL_NAM];
2224 2741 2
2225 2742 2      IF .NAM_BLK[NAM$B_RSL] NEQ 0      ! If a resultant name string exists,
2226 2743 2      THEN
2227 2744 2          BEGIN
2228 2745 2              MESSAGE_ID = MSG$ OPENIN;      ! indicate an open error
2229 2746 2              NAME_DESC[0] = .NAM_BLK[NAM$B_RSL];      ! and fillin the resultant name length
2230 2747 2              NAME_DESC[1] = .NAM_BLK[NAM$SL_RSA];      ! and address.
2231 2748 2          END
```

```
2232 2749 2 ELSE
2233 2750 2 IF .NAM_BLK[NAM$B_ESL] NEQ 0
2234 2751 2 THEN
2235 2752 2 BEGIN
2236 2753 2 MESSAGE_ID = MSG$ OPENIN;
2237 2754 2 NAME_DESC[0] = .NAM_BLK[NAM$B_ESL];
2238 2755 2 NAME_DESC[1] = .NAM_BLK[NAM$B_ESA];
2239 2756 2 END
2240 2757 2 ELSE
2241 2758 2 BEGIN
2242 2759 2 MESSAGE_ID = MSG$ OPENINX;
2243 2760 2 NAME_DESC[0] = .INFILE_CLI_DESC[DSC$W_LENGTH];
2244 2761 2 NAME_DESC[1] = .INFILE_CLI_DESC[DSC$A_POINTER];
2245 2762 2 END;
2246 2763 2
2247 2764 2 If mag tape and operator aborted the mount, make it fatal
2248 2765 2
2249 2766 2 IF .FAB_RAB[$FAB_DEV(sdi)]
2250 2767 2 AND .FAB_RAB[FAB$S_STV] EQL SSS_ABORT
2251 2768 2 THEN
2252 2769 2 MESSAGE_ID = MSG$ OPENINX;
2253 2770 2
2254 2771 2
2255 2772 2 Signal the error condition.
2256 2773 2
2257 2774 2
2258 2775 2 PUT_MESSAGEX( .MESSAGE_ID,
2259 2776 2 1,
2260 2777 2 NAME_DESC,
2261 2778 2 .FAB_RAB[FAB$S_STS],
2262 2779 2 .FAB_RAB[FAB$S_STV] );
2263 2780 2
2264 2781 2
2265 2782 2 Return to the caller.
2266 2783 2
2267 2784 2
2268 2785 2 RETURN;
2269 2786 2
2270 2787 2 END;

! If RMS created an expanded string
! but couldn't open the file,
! indicate an open error
! and fill in the expanded name length
! and address.
! Otherwise, indicate a fatal open error
! and use the file name length
! and length passed by the CLI.
! Signal "input open error" with the following argum
! Number of message arguments
! Address of input name descriptor
! Primary RMS completion code
! Secondary RMS completion code
! Return to the caller.
```

54	0000V	CF	9E	00002	.ENTRY	COPY\$INOPN ERR, Save R2,R3,R4	: 2692
5E		08	C2	00007	MOVAB	COPY\$MSG_NUMBER, R4	:
52	04	AC	D0	0000A	SUBL2	#8, SP	: 2729
50	28	A2	D0	0000E	MOVL	FAB_RAB_ADDRESS, R2	: 2740
	03	A0	95	00012	MOVL	40(R2), .NAM_BLK	: 2742
		10	13	00015	TSTB	3(NAM_BLK)	:
53	109A	8F	3C	00017	BEQL	1\$: 2745
6E	03	A0	9A	0001C	MOVZWL	#4250, MESSAGE_ID	: 2746
04	AE	04	A0	D0	MOVZBL	3(NAM_BLK), NAME_DESC	: 2747
		25	11	00025	MOVL	4(NAM_BLK), NAME_DESC+4	: 2742
		0B	A0	95	BRB	3\$: 2750
		10	13	0002A	TSTB	11(NAM_BLK)	:
					BEQL	2\$:

		53	109A	8F	3C	0002C	MOVZWL	#4250, MESSAGE_ID	:	2753
		6E	0B	A0	9A	00031	MOVZBL	11(NAM_BLK), NAME_DESC	:	2754
	04	AE	0C	A0	D0	00035	MOVL	12(NAM_BLK), NAME_DESC+4	:	2755
				10	11	0003A	BRB	3\$:	2750
		53	109C	8F	3C	0003C	MOVZWL	#4252, MESSAGE_ID	:	2759
		6E	0000G	CF	3C	00041	MOVZWL	INFILE_CLI_DESC, NAME_DESC	:	2760
	04	AE	0000G	CF	D0	00046	MOVL	INFILE_CLI_DESC+4, NAME_DESC+4	:	2761
	OB	40		04	E1	0004C	BBC	#4, 64(R2), 4\$:	2766
		A2		A2	D1	00051	CMPL	12(R2), #44	:	2767
		2C	0C	05	12	00055	BNEQ	4\$:	
		53	109C	8F	3C	00057	MOVZWL	#4252, MESSAGE_ID	:	2769
				53	DD	0005C	PUSHL	MESSAGE_ID	:	2779
		64		01	FB	0005E	CALLS	#1, COPY\$MSG_NUMBER	:	
7E		50		01	7A	00061	EMUL	#1, R0, #0, -(SP)	:	
50		8E		08	7B	00066	EDIV	#8, (SP)+, R0, R0	:	
		04		50	D1	0006B	CMPL	R0, #4	:	
				18	13	0006E	BEQL	5\$:	
		7E	08	A2	7D	00070	MOVQ	8(R2), -(SP)	:	
			08	AE	9F	00074	PUSHAB	NAME_DESC	:	
				01	DD	00077	PUSHL	#1	:	
				53	DD	00079	PUSHL	MESSAGE_ID	:	
		64		01	FB	0007B	CALLS	#1, COPY\$MSG_NUMBER	:	
				50	DD	0007E	PUSHL	R0	:	
		00000000G	00	05	FB	00080	CALLS	#5, LIB\$SIGNAL	:	
				04		00087	RET		:	
		7E	08	A2	7D	00088	MOVQ	8(R2), -(SP)	:	
			08	AE	9F	0008C	PUSHAB	NAME_DESC	:	
				01	DD	0008F	PUSHL	#1	:	
				53	DD	00091	PUSHL	MESSAGE_ID	:	
		64		01	FB	00093	CALLS	#1, COPY\$MSG_NUMBER	:	
				50	DD	00096	PUSHL	R0	:	
		00000000G	00	05	FB	00098	CALLS	#5, LIB\$STOP	:	
				04		0009F	RET		:	2787

; Routine Size: 160 bytes, Routine Base: \$CODE\$ + 09E5

```
2272 2788 1 ROUTINE IN_READ_ERROR : NOVALUE = ! RMS input read error action routine
2273 2789 1
2274 2790 1 ++
2275 2791 1 FUNCTIONAL DESCRIPTION:
2276 2792 1
2277 2793 1 This RMS error action routine sends an input read error message to the user.
2278 2794 1
2279 2795 1 FORMAL PARAMETERS:
2280 2796 1
2281 2797 1 None
2282 2798 1
2283 2799 1 IMPLICIT INPUTS:
2284 2800 1
2285 2801 1 INFILE_RAB - Input file RAB
2286 2802 1 IN_NAME_DESC - Input file name descriptor
2287 2803 1
2288 2804 1 IMPLICIT OUTPUTS:
2289 2805 1
2290 2806 1 None
2291 2807 1
2292 2808 1 ROUTINE VALUE:
2293 2809 1
2294 2810 1 None
2295 2811 1
2296 2812 1 SIDE EFFECTS:
2297 2813 1
2298 2814 1 None
2299 2815 1
2300 2816 1 --
2301 2817 1
2302 2818 2 BEGIN
2303 2819 2
2304 2820 2
2305 2821 2 Signal the input read error.
2306 2822 2
2307 2823 2
2308 2824 2 PUT_MESSAGE( MSGS_READERR, ! Signal a "read error" with the following arguments
2309 2825 2 1, ! Number of message arguments
2310 2826 2 IN_NAME_DESC, ! Address of input file name descriptor
2311 2827 2 .INFILE_RAB[RAB$L_STS], ! Primary RMS completion code
2312 2828 2 .INFILE_RAB[RAB$L_STV] ); ! Secondary RMS completion code
2313 2829 2
2314 2830 2
2315 2831 2 Return to the caller.
2316 2832 2
2317 2833 2
2318 2834 2 RETURN; ! Return to the caller.
2319 2835 2
2320 2836 1 END;
```

```
0000 00000 IN_READ_ERROR:
7E 0000G CF 7D 00002 .WORD MOVQ Save nothing INFILE_RAB+8, -(SP)
```

```
: 2788
: 2828
```


N 11
15-Sep-1984 23:39:26 VAX-11 Bliss-32 V4.0-742
14-Sep-1984 12:14:18 [COPY.SRC]COPYMAIN.B32;1

Page 67
(19)

ADDRESS	INSTR	OPERAND	INSTR	OPERAND	INSTR	OPERAND
0000V	7E	0000G	CF	9F 00007	PUSHAB	IN_NAME_DESC
	CF		01	DD 0000B	PUSHL	#1
		10B2	8F	3C 0000D	MOVZWL	#4274, -(SP)
			01	FB 00012	CALLS	#1, COPY\$MSG_NUMBER
			50	DD 00017	PUSHL	R0
00000000G	00		05	FB 00019	CALLS	#5, LIB\$SIGNAL
			04	00020	RET	

2836

```
; Routine Size: 33 bytes,    Routine Base: $CODE$ + 0A85
```

```
: 2322      2837 1 ROUTINE IN_CLOSE_ERROR (                ! RMS input close error action routine
: 2323      2838      FAB_RAB_ADDRESS )                ! Address of associated FAB or RAB
: 2324      2839      : NOVALUE =
: 2325      2840 1
: 2326      2841 1 ++
: 2327      2842 1 FUNCTIONAL DESCRIPTION:
: 2328      2843 1
: 2329      2844 1     This RMS error action routine sends an input close error message to the user.
: 2330      2845 1
: 2331      2846 1 FORMAL PARAMETERS:
: 2332      2847 1
: 2333      2848 1     FAB_RAB_ADDRESS.ra.v - Address of the associated FAB or RAB
: 2334      2849 1
: 2335      2850 1 IMPLICIT INPUTS:
: 2336      2851 1
: 2337      2852 1     IN_NAME_DESC - Input file name descriptor
: 2338      2853 1
: 2339      2854 1 IMPLICIT OUTPUTS:
: 2340      2855 1
: 2341      2856 1     None
: 2342      2857 1
: 2343      2858 1 ROUTINE VALUE:
: 2344      2859 1
: 2345      2860 1     None
: 2346      2861 1
: 2347      2862 1 SIDE EFFECTS:
: 2348      2863 1
: 2349      2864 1     None
: 2350      2865 1
: 2351      2866 1 --
: 2352      2867 1
: 2353      2868 1 BEGIN
: 2354      2869 2
: 2355      2870 2 BIND
: 2356      2871 2     FAB_RAB = .FAB_RAB_ADDRESS : BLOCK[,BYTE];    ! Redefine routine parameter.
: 2357      2872 2
: 2358      2873 2
: 2359      2874 2 Signal an input close error.
: 2360      2875 2
: 2361      2876 2
: 2362      2877 2 PUT_MESSAGE( MSG$_CLOSEIN,                ! Signal a "close error" with the following argument
: 2363      2878 2     1,                                ! Number of message arguments
: 2364      2879 2     IN_NAME_DESC,                      ! Address of input file name descriptor
: 2365      2880 2     .FAB_RAB[FAB$_L_STS],              ! Primary RMS completion code
: 2366      2881 2     .FAB_RAB[FAB$_L_STV] );              ! Secondary RMS completion code
: 2367      2882 2
: 2368      2883 2
: 2369      2884 2 Return to the caller.
: 2370      2885 2
: 2371      2886 2
: 2372      2887 2 RETURN;                                ! Return to the caller.
: 2373      2888 2
: 2374      2889 1 END;
```


			0000 00000	IN_CLOSE_ERROR:		
	50	04	AC	D0	00002	.WORD Save nothing
	7E	08	A0	7D	00006	MOVL FAB_RAB_ADDRESS, R0
		0000G	CF	9F	0000A	MOVQ 8(R0), =(SP)
			01	DD	0000E	PUSHAB IN_NAME_DESC
	7E	1052	8F	3C	00010	PUSHL #1
0000V	CF		01	FB	00015	MOVZWL #4178, -(SP)
			50	DD	0001A	CALLS #1, COPY\$MSG_NUMBER
00000000G	00		05	FB	0001C	PUSHL R0
			04	00023		CALLS #5, LIB\$SIGNAL
						RET

; Routine Size: 36 bytes, Routine Base: \$CODE\$ + 0AA6

```
2376 2890 1 GLOBAL ROUTINE COPY$OUTOPN ERR (      ! RMS output open error action routine
2377 2891 1     FAB_RAB_ADDRESS )                  ! Address of associated FAB or RAB
2378 2892 1     : NOVALUE =
2379 2893 1
2380 2894 1 ++
2381 2895 1 FUNCTIONAL DESCRIPTION:
2382 2896 1     This RMS error action routine sends an output open error message to the user.
2383 2897 1
2384 2898 1 FORMAL PARAMETERS:
2385 2899 1     FAB_RAB_ADDRESS.ra.v - Address of the associated FAB or RAB
2386 2900 1
2387 2901 1 IMPLICIT INPUTS:
2388 2902 1     OUTFILE_NAM_BLK - Output file name block
2389 2903 1     OUTFILE_NAME - Output file name after open
2390 2904 1     OUTFILE_XNAME - Output file name before open
2391 2905 1     OUTFILE_DESC - Output file request descriptor
2392 2906 1
2393 2907 1 IMPLICIT OUTPUTS:
2394 2908 1     None
2395 2909 1
2396 2910 1 ROUTINE VALUE:
2397 2911 1     None
2398 2912 1
2399 2913 1 SIDE EFFECTS:
2400 2914 1     None
2401 2915 1
2402 2916 1 --
2403 2917 1
2404 2918 1 BEGIN
2405 2919 1
2406 2920 1 BIND
2407 2921 1     FAB_RAB = .FAB_RAB_ADDRESS : BLOCK[,BYTE];      ! Redefine routine parameter.
2408 2922 1
2409 2923 1 LOCAL
2410 2924 1     MESSAGE_ID,      ! Local message identifier
2411 2925 1     NAME_DESC : VECTOR[2];      ! Output file name descriptor
2412 2926 1
2413 2927 1
2414 2928 1
2415 2929 1
2416 2930 1
2417 2931 1
2418 2932 1
2419 2933 1
2420 2934 1
2421 2935 1
2422 2936 1
2423 2937 1 IF .OUTFILE_NAM_BLK[NAM$B_RSL] NEQ 0      ! If a resultant name string exists,
2424 2938 1 THEN
2425 2939 1     BEGIN
2426 2940 1     MESSAGE_ID = MSG$ OPENOUT;      ! indicate an open error
2427 2941 1     NAME_DESC[0] = .OUTFILE_NAM_BLK[NAM$B_RSL];      ! and fillin the resultant name length
2428 2942 1     NAME_DESC[1] = OUTFILE_NAME;      ! and address.
2429 2943 1     END
2430 2944 1 ELSE
2431 2945 1     IF .OUTFILE_NAM_BLK[NAM$B_ESL] NEQ 0      ! If RMS created an expanded string but couldn't ope
2432 2946 1     THEN
```



```
2433      BEGIN
2434      MESSAGE_ID = MSG$ OPENOUT;
2435      NAME_DESC[0] = .OUTFILE_NAM_BLK[NAM$B_ESL];
2436      NAME_DESC[1] = OUTFILE_NAME;
2437      END
2438
2439      ELSE
2440      BEGIN
2441      MESSAGE_ID = MSG$ OPENOUTX;
2442      NAME_DESC[0] = .OUT_NAME_DESC[ 0 ];
2443      NAME_DESC[1] = .OUT_NAME_DESC[ 1 ];
2444      END;
2445
2446      ! If mag tape and operator aborted the mount, make it fatal
2447      IF .FAB_RAB[$FAB_DEV(sdi)]
2448      AND .FAB_RAB[FAB$L_STV] EQL SS$_ABORT
2449      THEN
2450      MESSAGE_ID = MSG$ OPENOUTX;
2451
2452      ! Signal the error condition.
2453      PUT_MESSAGEX( .MESSAGE_ID,
2454      1,
2455      NAME_DESC,
2456      .FAB_RAB[FAB$L_STS],
2457      .FAB_RAB[FAB$L_STV] );
2458
2459      ! Return to the caller.
2460      RETURN;
2461
2462      ! Return to the caller.
2463      END;
```

Signal 'output open error' with the following argu
Number of message arguments
Address of output name descriptor
Primary RMS completion code
Secondary RMS completion code

54	0000V	CF	9E	00002	.ENTRY	COPY\$OUTOPN ERR, Save R2,R3,R4	2890
5E		08	C2	00007	MOVAB	COPY\$MSG_NUMBER, R4	
52	04	AC	D0	0000A	SUBL2	#8, SP	2927
50	0000G	CF	9A	0000E	MOVL	FAB_RAB_ADDRESS, R2	2937
		10	13	00013	MOVZBL	OUTFILE_NAM_BLK+3, R0	
53	10A2	8F	3C	00015	BEQL	1\$	2940
6E		50	D0	0001A	MOVZWL	#4258, MESSAGE_ID	2941
04	AE	0000G	CF	9E	MOVL	R0, NAME_DESC	2942
		21	11	00023	MOVAB	OUTFILE_NAME, NAME_DESC+4	2937
50	0000G	CF	9A	00025	BRB	3\$	2945
		10	13	0002A	MOVZBL	OUTFILE_NAM_BLK+11, R0	
53	10A2	8F	3C	0002C	BEQL	2\$	2948
6E		50	D0	00031	MOVZWL	#4258, MESSAGE_ID	2949
04	AE	0000G	CF	9E	MOVL	R0, NAME_DESC	2950
		0A	11	0003A	MOVAB	OUTFILE_NAME, NAME_DESC+4	2945
					BRB	3\$	

		53	10A4	8F	3C	0003C	2\$:	MOVZWL	#4260, MESSAGE_ID	:	2954
		6E	0000G	CF	7D	00041		MOVQ	OUT_NAME_DESC, NAME_DESC	:	2955
	0B	A2		04	E1	00046	3\$:	BBC	#4, 64(R2), 4\$:	2961
		2C	0C	A2	D1	0004B		CMPL	12(R2), #44	:	2962
				05	12	0004F		BNEQ	4\$:	
		53	10A4	8F	3C	00051		MOVZWL	#4260, MESSAGE_ID	:	2964
				53	DD	00056	4\$:	PUSHL	MESSAGE_ID	:	2974
		64		01	FB	00058		CALLS	#1, COPY\$MSG_NUMBER	:	
7E	00	50		01	7A	0005B		EMUL	#1, R0, #0, =(SP)	:	
50	50	8E		08	7B	00060		EDIV	#8, (SP)+, R0, R0	:	
		04		50	D1	00065		CMPL	R0, #4	:	
				18	13	00068		BEQL	5\$:	
		7E	08	A2	7D	0006A		MOVQ	8(R2), -(SP)	:	
			08	AE	9F	0006E		PUSHAB	NAME_DESC	:	
				01	DD	00071		PUSHL	#1	:	
				53	DD	00073		PUSHL	MESSAGE_ID	:	
		64		01	FB	00075		CALLS	#1, COPY\$MSG_NUMBER	:	
				50	DD	00078		PUSHL	R0	:	
	00000000G	00		05	FB	0007A		CALLS	#5, LIB\$SIGNAL	:	
				04		00081		RET		:	
		7E	08	A2	7D	00082	5\$:	MOVQ	8(R2), -(SP)	:	
			08	AE	9F	00086		PUSHAB	NAME_DESC	:	
				01	DD	00089		PUSHL	#1	:	
				53	DD	0008B		PUSHL	MESSAGE_ID	:	
		64		01	FB	0008D		CALLS	#1, COPY\$MSG_NUMBER	:	
				50	DD	00090		PUSHL	R0	:	
	00000000G	00		05	FB	00092		CALLS	#5, LIB\$STOP	:	
				04		00099		RET		:	2982

; Routine Size: 154 bytes, Routine Base: \$CODE\$ + 0ACA


```
2470 2983 1 ROUTINE OUT_WRITE_ERROR : NOVALUE = ! RMS output write error action routine
2471 2984 1
2472 2985 1 ++
2473 2986 1 FUNCTIONAL DESCRIPTION:
2474 2987 1
2475 2988 1 This RMS error action routine sends an output read error message to the user.
2476 2989 1
2477 2990 1 FORMAL PARAMETERS:
2478 2991 1
2479 2992 1 None
2480 2993 1
2481 2994 1 IMPLICIT INPUTS:
2482 2995 1
2483 2996 1 OUTFILE_RAB - Output file RAB
2484 2997 1 OUT_NAME_DESC - Output file name descriptor
2485 2998 1
2486 2999 1 IMPLICIT OUTPUTS:
2487 3000 1
2488 3001 1 None
2489 3002 1
2490 3003 1 ROUTINE VALUE:
2491 3004 1
2492 3005 1 None
2493 3006 1
2494 3007 1 SIDE EFFECTS:
2495 3008 1
2496 3009 1 None
2497 3010 1
2498 3011 1 --
2499 3012 1
2500 3013 2 BEGIN
2501 3014 2
2502 3015 2
2503 3016 2 Signal the output write error.
2504 3017 2
2505 3018 2
2506 3019 2 PUT_MESSAGE( MSG$_WRITEERR, ! Signal a 'write error' with the following argument
2507 3020 2 1, ! Number of message arguments
2508 3021 2 OUT_NAME_DESC, ! Address of output file name descriptor
2509 3022 2 .OUTFILE_RAB[RAB$_STS], ! Primary RMS completion code
2510 3023 2 .OUTFILE_RAB[RAB$_STV] ); ! Secondary RMS completion code
2511 3024 2
2512 3025 2
2513 3026 2 Return to the caller.
2514 3027 2
2515 3028 2
2516 3029 2 RETURN; ! Return to the caller.
2517 3030 2
2518 3031 1 END;
```

```
0000 00000 OUT_WRITE_ERROR:
7E 0000G CF 7D 00002 .WORD Save nothing
MOVQ OUTFILE_RAB+8, -(SP)
```

```
: 2983
: 3023
```

H 12
15-Sep-1984 23:39:26 VAX-11 Bliss-32 V4.0-742
14-Sep-1984 12:14:18 [COPY.SRC]COPYMAIN.B32;1

Page 74
(22)

ADDRESS	INSTR	OPERANDS	OPERATION	OUT_NAME_DESC
0000V	7E	0000G	CF 9F 00007	PUSHAB
	CF		01 DD 0000B	PUSHL
		10D2	8F 3C 0000D	MOVZWL
			01 FB 00012	CALLS
			50 DD 00017	PUSHL
00000000G	00		05 FB 00019	CALLS
			04 00020	RET

3031

; Routine Size: 33 bytes, Routine Base: \$CODE\$ + 0B64


```
2520 3032 1 GLOBAL ROUTINE COPY$OCLOSE ERR (
2521 3033 1     FAB_RAB_ADDRESS )
2522 3034 1     : NOVALUE =
2523 3035 1
2524 3036 1 ++
2525 3037 1 FUNCTIONAL DESCRIPTION:
2526 3038 1     This RMS error action routine sends an output close error message to the user.
2527 3039 1
2528 3040 1 FORMAL PARAMETERS:
2529 3041 1     FAB_RAB_ADDRESS.ra.v - Address of the associated FAB or RAB
2530 3042 1
2531 3043 1 IMPLICIT INPUTS:
2532 3044 1     OUT_NAME_DESC - Output file name descriptor
2533 3045 1
2534 3046 1 IMPLICIT OUTPUTS:
2535 3047 1     None
2536 3048 1
2537 3049 1 ROUTINE VALUE:
2538 3050 1     None
2539 3051 1
2540 3052 1 SIDE EFFECTS:
2541 3053 1     None
2542 3054 1
2543 3055 1 --
2544 3056 1
2545 3057 1 BEGIN
2546 3058 1
2547 3059 1 BIND
2548 3060 1     FAB_RAB = .FAB_RAB_ADDRESS : BLOCK[,BYTE];
2549 3061 1     ! Redefine routine parameter.
2550 3062 1
2551 3063 1
2552 3064 1
2553 3065 1
2554 3066 1
2555 3067 1
2556 3068 1
2557 3069 1 Signal an output close error.
2558 3070 1
2559 3071 1
2560 3072 1 PUT_MESSAGE( MSG$_CLOSEOUT,
2561 3073 1     1,
2562 3074 1     OUT_NAME_DESC,
2563 3075 1     .FAB_RAB[FAB$_STS],
2564 3076 1     .FAB_RAB[FAB$_STV] );
2565 3077 1
2566 3078 1
2567 3079 1
2568 3080 1
2569 3081 1
2570 3082 1 Return to the caller.
2571 3083 1
2572 3084 1 RETURN;
2572 3084 1
2572 3084 1 ! Return to the caller.
```

P
P
P
P

```

0000 00000
50      04 AC D0 00002
7E      08 AO 7D 00006
        0000G CF 9F 0000A
          01 DD 0000E
          7E 105A 8F 3C 00010
0000V   CF 01 FB 00015
00000000G 00 50 DD 0001A
          05 FB 0001C
          04 00023

```

```

.ENTRY COPY$OCLOSE_ERR, Save nothing
MOVL   FAB_RAB_ADDRESS, R0
MOVQ   8(R0), =(SP)
PUSHAB OUT_NAME_DESC
PUSHL  #1
MOVZWL #4186, -(SP)
CALLS  #1, COPY$MSG_NUMBER
PUSHL  R0
CALLS  #5, LIB$SIGNAL
RET

```

```

: 3032
: 3066
: 3076
:
:
:
:
: 3084

```

; Routine Size: 36 bytes, Routine Base: \$CODE\$ + 0B85


```
2574 3085 1 GLOBAL ROUTINE COPY$MSG_NUMBER (           ! COPY/APPEND message number generator
2575 3086 1                                     _MSG_ID ) =       ! Message number
2576 3087 1
2577 3088 1 ++
2578 3089 1 FUNCTIONAL DESCRIPTION:
2579 3090 1
2580 3091 1     This routine return a COPY-specific or APPEND-specific message id
2581 3092 1     by inserting the appropriate facility identifier in the high word
2582 3093 1     of the message id which is passed by the caller. This routine also
2583 3094 1     records the highest severity message encountered.
2584 3095 1
2585 3096 1 FORMAL PARAMETERS:
2586 3097 1
2587 3098 1     MSG_ID.rlu.v - Message id
2588 3099 1
2589 3100 1 IMPLICIT INPUTS:
2590 3101 1
2591 3102 1     APPEND_COMMAND = APPEND command indicator
2592 3103 1     MOST_SEVERE_ERR - Current most severe error id
2593 3104 1     OUTFILE_NAM_BLK - Output file name block - wildcard indicator
2594 3105 1
2595 3106 1 IMPLICIT OUTPUTS:
2596 3107 1
2597 3108 1     MOST_SEVERE_ERR - Most severe error id may be updated
2598 3109 1
2599 3110 1 ROUTINE VALUE:
2600 3111 1
2601 3112 1     Actual message id
2602 3113 1
2603 3114 1 SIDE EFFECTS:
2604 3115 1
2605 3116 1     None
2606 3117 1
2607 3118 1 --
2608 3119 1
2609 3120 2 BEGIN
2610 3121 2
2611 3122 2 MAP
2612 3123 2     MSG_ID : BLOCK[.BYTE];           ! Redefine the form of the input argument
2613 3124 2
2614 3125 2 LOCAL
2615 3126 2     ACTUAL_MSG_ID : BLOCK[1];       ! Actual message identifier
2616 3127 2
2617 3128 2
2618 3129 2 Calculate the actual message identifier.
2619 3130 2
2620 3131 2
2621 3132 2 IF .MSG_ID<16,16> EQL 0           ! If facility unspecified,
2622 3133 2 THEN
2623 3134 2     IF .APPEND_COMMAND           ! If this is an APPEND command,
2624 3135 2     THEN
2625 3136 2         ACTUAL_MSG_ID = .MSG_ID + (APPEND_ID * 65536) ! insert the APPEND facility code into the message id
2626 3137 2     ELSE
2627 3138 2         ACTUAL_MSG_ID = .MSG_ID + (COPY_ID * 65536)  ! If this is a COPY command,
2628 3139 2         ! insert the COPY facility code into the message id.
2629 3140 2     ELSE
2630 3141 2         ACTUAL_MSG_ID = .MSG_ID;           ! else use existing code
```

```
2631 3142 2 !
2632 3143 2 ! Update the "most severe error" if the current error is more severe.
2633 3144 2
2634 3145 2
2635 3146 2 IF NOT .ACTUAL_MSG_ID AND ! If the current message is not a success message an
2636 3147 2 (.MOST_SEVERE_ERR OR ! either this is the first error message
2637 3148 2 .ACTUAL_MSG_ID[STSSV_SEVERITY] GTRU ! or the current message severity
2638 3149 2 .MOST_SEVERE_ERR[STSSV_SEVERITY]) ! is greater than the previous severity,
2639 3150 2 THEN !
2640 3151 2 MOST_SEVERE_ERR = .ACTUAL_MSG_ID OR ! update the most severe message id
2641 3152 2 STSSM_INHIB_MSG; ! and turn on the "suppress message" indicator.
2642 3153 2
2643 3154 2
2644 3155 2 ! Return the actual message id to the caller.
2645 3156 2
2646 3157 2
2647 3158 2 RETURN .ACTUAL_MSG_ID; ! Return the actual message id to the caller.
2648 3159 2
2649 3160 1 END;
```

				0004 00000	.ENTRY	COPY\$MSG NUMBER, Save R2	3085
	52	0000'	CF	9E 00002	MOVAB	MOST_SEVERE_ERR, R2	
		06	AC	B5 00007	TSTW	MSG_ID+2	3132
			1A	12 0000A	BNEQ	2\$	
		0B 10	A2	E9 0000C	BLBC	COPY\$CLI_STATUS, 1\$	3134
50	04	AC 00710000	8F	C1 00010	ADDL3	#7405568, MSG_ID, ACTUAL_MSG_ID	3136
			0F	11 00019	BRB	3\$	
50	04	AC 00670000	8F	C1 0001B 1\$:	ADDL3	#6750208, MSG_ID, ACTUAL_MSG_ID	3138
			04	11 00024	BRB	3\$	3134
	50	04	AC	D0 00026 2\$:	MOVL	MSG_ID, ACTUAL_MSG_ID	3140
	17		50	E8 0002A 3\$:	BLBS	ACTUAL_MSG_ID, 5\$	3146
	0C		62	E8 0002D	BLBS	MOST_SEVERE_ERR, 4\$	3147
51	62	03	00	EF 00030	EXTZV	#0, #3, MOST_SEVERE_ERR, R1	3149
51	50	03	00	ED 00035	CMPZV	#0, #3, ACTUAL_MSG_ID, R1	
			08	1B 0003A	BLEQU	5\$	
	62	50 10000000	8F	C9 0003C 4\$:	BISL3	#268435456, ACTUAL_MSG_ID, MOST_SEVERE_ERR	3151
			04	00044 5\$:	RET		3160

; Routine Size: 69 bytes, Routine Base: \$CODE\$ + 0BA9

: 2651 3161 1 END
: 2652 3162 0 ELUDOM

.EXTRN LIB\$SIGNAL, LIB\$STOP

PSECT SUMMARY

Name	Bytes	Attributes
\$GLOBALS	61	NOVEC, WRT, RD, NOEXE, NOSHR, LCL, REL, CON, NOPIC, ALIGN(2)
\$SPLITS	92	NOVEC, NOWRT, RD, NOEXE, NOSHR, LCL, REL, CON, NOPIC, ALIGN(2)
\$CODES	3054	NOVEC, NOWRT, RD, EXE, NOSHR, LCL, REL, CON, NOPIC, ALIGN(2)
COPY\$COPY_FILE	180	NOVEC, NOWRT, RD, EXE, NOSHR, LCL, REL, CON, NOPIC, ALIGN(9)
\$OWNS	4	NOVEC, WRT, RD, NOEXE, NOSHR, LCL, REL, CON, NOPIC, ALIGN(2)

Library Statistics

File	----- Total	Symbols Loaded	----- Percent	Pages Mapped	Processing Time
_S255\$DUA28:[SYSLIB]STARLET.L32;1	9776	150	1	581	00:01.1

COMMAND QUALIFIERS

: BLISS/CHECK=(FIELD,INITIAL,OPTIMIZE)/LIS=LISS:COPYMAIN/OBJ=OBJ\$:COPYMAIN MSRC\$:COPYMAIN/UPDATE=(ENHS:COPYMAIN)

: Size: 3234 code + 157 data bytes
: Run Time: 01:05.8
: Elapsed Time: 02:27.9
: Lines/CPU Min: 2883
: Lexemes/CPU-Min: 23243
: Memory Used: 277 pages
: Compilation Complete

0067 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY

